



SAFETY DATA SHEET

New Generation Tank Defoamer

Revision Date

1/6/2016

SECTION - 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME New Generation Tank Defoamer ITEM TD

PRODUCT USE Collection Tank Defoamer for cleaning equipment

COMPANY NAME Core Products Co., Inc. **Office** (800) 825-2673
 401 Industrial Rd **Fax** (903) 567-1346
 Canton TX 75103 **Web** www.coreproductsco.com

EMERGENCY TELEPHONE NUMBER **CHEMTREC** (800) 424-9300

SECTION - 2 HAZARDS INFORMATION

Health Hazards EYES-Category 2B

WARNING Causes eye irritation
 May be harmful if swallowed, Avoid eye or prolonged skin contact, Use personal protective equipment as required, Avoid release into the environment

SECTION - 3 COMPOSITION INFORMATION (Exact percentage of the listed chemicals of composition has been withheld as a trade secret)

<u>CHEMICAL NAME</u>	<u>COMMON NAME AND SYNONYMS</u>	<u>CAS #</u>	<u>IMPURITIES</u>	<u>PERCENT</u>
None Listed	Contains no ingredients classifiable by GHS criteria			

SECTION - 4 FIRST AID MEASURES

EYE CONTACT Flush eyes with cold water while lifting upper and lower eyelids, Remove contact lenses if present and easy to do without injury to the eye and continue rinsing, If irritation persists seek medical aid

SKIN CONTACT Wash with water, Remove any contaminated clothing and wash before reuse, If irritation occurs or persists seek medical aid

INHALATION Not Applicable

INGESTION DO NOT INDUCE VOMITING. If person is fully conscious, rinse mouth out and give one to two glasses of water to dilute and obtain immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the lungs

Aspiration Hazard Not applicable

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause eye irritation, discomfort, redness

Skin May cause mild skin irritation

Inhalation Not applicable

Ingestion May be harmful if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes eye irritation, discomfort, redness, tearing

Skin Causes mild skin irritation, itching, redness

Inhalation Spray mist may cause mild irritation

Ingestion May be harmful if swallowed, Symptoms may include, vomiting, abdominal pain, nausea or diarrhea

SECTION - 5 FIRE FIGHTING MEASURES

Extinguishing Media Not flammable: Use extinguishing media for surrounding fire

Hazardous Decomposition Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, nitrogen oxides, silicon oxides, and other toxic fumes

Reactive With Reactive with, strong oxidizing agents, strong bases

Explosion Hazards Not applicable

Static Discharge Not applicable

Mechanical Impact Not applicable

Protective Equipment Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

SECTION – 6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures	Warn personnel of spill
Personal Precautions	Avoid slipping on spilled product
Protective Equipment	Safety Glasses, Gloves
Containment	Use rags or towels to prevent spill from spreading
Clean Up Procedures	Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water
Disposal	Dispose of material in accordance with all State and Federal Guidelines and Regulations

SECTION – 7 HANDLING AND STORAGE

Handling	Use appropriate safety equipment, Avoid eye and prolonged skin contact, May be harmful if swallowed, Wash thoroughly after handling, Avoid release to the environment, Triple rinse container before discarding
Storage	Keep container closed when not in use, Store away from incompatible materials
Incompatible Materials	Incompatible with, strong oxidizing agents, strong bases

SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**EXPOSURE LIMITS**

CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA PEL (TWA 8)	OSHA (CEIL)	Significant Exposure
None Listed					

PERSONAL PROTECTIVE EQUIPMENT

Chemical Safety Glasses,
Goggles or Face Shield

**Ventilation**

General Ventilation

HMIS HAZARD RATINGS

Health	1
Flammability	0
Reactivity	0
Personal Protection	A

SECTION – 9 PHYSICAL AND CHEMICAL PROPERTIES

Flash Point	> 93.3°C (200°F) - TAG Closed Cup	Specific Gravity / Density	1.026 - 1.027
Flammable Limits	ND	pH (± 0.3)	7.0 - 8.0
Auto-Ignition Temp.	ND	Viscosity	ND
Physical State	Viscous liquid	Freeze Point	0°C (32°F)
Appearance	Opaque white	Boiling Point	100°C (212°F)
Odor	Mild	Vapor Density (air=1)	ND
Odor Threshold	ND	Vapor Pressure (mm Hg)	ND
Solubility	< 95%	Evaporation Rate (nBuAc=1)	ND
Volatiles	< 95%	Partition Coefficient	ND
VOC	< 1%	Molecular Weight (g/mol)	ND
LVP-VOC	0.00%	Decomposition Temperature	ND

SECTION – 10 STABILITY AND REACTIVITY

Reactivity (Specific Test Data)	None available
Chemical Stability	Stable under normal ambient and anticipated conditions of use
Hazardous Polymerization	Will not occur
Conditions To Avoid	Incompatible materials
Incompatible Materials	Incompatible with, strong oxidizing agents, strong bases
Thermal Decomposition	Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, nitrogen oxides, silicon oxides, and other toxic fumes

SECTION – 11 TOXICOLOGICAL INFORMATION**ROUTES OF EXPOSURE**

Eyes (Yes), Skin (Yes), Ingestion (Yes)

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause eye irritation, discomfort, redness
Skin May cause mild skin irritation
Inhalation Not applicable
Ingestion May be harmful if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes eye irritation, discomfort, redness, tearing
Skin Causes mild skin irritation, itching, redness
Inhalation Spray mist may cause mild irritation
Ingestion May be harmful if swallowed, Symptoms may include, vomiting, abdominal pain, nausea or diarrhea

Acute Tox Calculated **Oral:** 101,540 mg/kg **Dermal:** 742.949 mg/kg **Inhaled:** 7,429.5 mg/L

Acute Tox Category Not applicable (Oral >5000 mg/kg), Not applicable (Dermal > 5000 mg/kg), Not applicable (Inhaled >50 mg/L) Vapors

Additional Info

Target Organs Eyes (Lens or cornea), Skin
Medical Conditions Preexisting, eye, skin, disorders may be aggravated by exposure to this product
Notes to Physician In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption, Treat symptoms

CARCINOGENIC – This product contains concentrations above 0.1% of the following:

<u>CHEMICAL NAME</u>	<u>NTP</u>	<u>ACGIH</u>	<u>IARC</u>	<u>GHS Category</u>
None Listed	NA	NA	NA	NA

MUTAGENIC AND REPRODUCTIVE EFFECTS – This product contains concentrations above 0.1% of the following:

<u>CHEMICAL NAME</u>	<u>Germ Cell Mutagenicity</u>	<u>Toxic to Reproduction</u>
None Listed	NA	NA

COMPONENTS ACUTE TOXICITY

<u>CHEMICAL NAME</u>	<u>Type</u>	<u>Form</u>	<u>Subject</u>	<u>Result Value</u>	<u>Exposure Time</u>	<u>GHS Category</u>
None Listed						

SECTION – 12 ECOLOGICAL INFORMATION

<u>CHEMICAL NAME</u>	<u>Type</u>	<u>Subject</u>	<u>Subject Latin</u>	<u>Result Value</u>	<u>Exposure Time</u>	<u>GHS Category</u>
None Listed						

Presistence And Degradability No specific biodegradation test data was located
Bioaccumulative Potential There is no evidence to suggest bioaccumulation will occur
Mobility In Soil This material is a partially mobile liquid
Other Adverse Effects May be harmful to aquatic life

SECTION – 13 DISPOSAL CONSIDERATIONS

DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER
Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

ENVIRONMENTAL FATE

Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste

CONTAINER DISPOSAL - Triple rinse container then offer for recycling. If not available, puncture and dispose in a sanitary landfill

SECTION – 14 TRANSPORT INFORMATION**DOT CLASSIFICATION**

<u>UN Number</u>	<u>Proper Shipping Name</u> n.o.s. (Chemicals) or "Limits"	<u>Hazard Class</u>	<u>Packing Group</u>	<u>Label Codes</u>	<u>Reportable Quantity (lbs)</u>	<u>Response</u>	<u>Marine Pollutant</u>	<u>Hazard Label</u>	<u>Secondary</u>
Not Regulated	Non Hazardous – Compounds Cleaning Liquid								
None	None	None	None	None	None	154	No		

Additional Info:

SECTION – 15 REGULATORY INFORMATION**TSCA**

CHEMICAL NAME	Sec 8(b) Inventory	Sec 8(d) Health And Safety	Sec 4(a) Chemical Test Rules	Sec 12(b) Export Notification
None Listed				

REPORTABLE QUANTITIES

CHEMICAL NAME	Extremely Hazardous		Reportable Quantity	Emission Reporting		
	EPCRA TPQ Sec 302	EPCRA RQ Sec 304	CERCLA RQ Sec 103	TRI Sec 313	RCRA Code	RMP TQ Sec 112r
None Listed						

SARA

CHEMICAL NAME	Section 311			Section 311 / 312 Hazards			
	Hazardous Chemical	Acute	Chronic	Flammable	Pressure	Reactive	
None Listed							

RIGHT TO KNOW

CHEMICAL NAME	STATE												
	CA	CT	FL	IL	LA	NJ	NY	PA	MI	MN	MA	RI	WI
None Listed													

CALIFORNIA

CHEMICAL NAME	CAS #	WARNING! This product contains chemicals known to the state of California to cause:			
		Birth Defects	Reproductive Harm	Carcinogen	Developmental
None Listed					

CLEAN AIR WATER ACTS

CHEMICAL NAME	CAS #	Clean Air Acts			Clean Water Acts		
		HAP	Ozone Class 1	Ozone Class 2	HS	PP	TP
None Listed							

INTERNATIONAL REGULATIONS – The components of this product are listed on the chemical inventories of the following countries:

CHEMICAL NAME	Australia	Canada	Europe (EINECS)	Japan	Korea	UK
None Listed						

WHMIS Classification

CHEMICAL NAME	DSL	Class	Description
None Listed			

SECTION – 16 OTHER INFORMATION**SDS LEGEND DESCRIPTION**

ACGIH American Conference of Governmental Industrial Hygienists	LC50 A concentration that is lethal to 50% of a given species in a given time
CAS Chemical Abstracts Service Registry	LD50 Dose that is lethal to 50% of a given species by a given route of exposure
CEIL Ceiling Limit (15 minutes)	LEL Lower Explosive Limit
CERCL Comprehensive Environmental Response, Compensation, and Liability Act	LD Liver Damage
CI Cochlear Impairment	NA Not Applicable
CNS Central Nervous System	ND Not Determined
EC50 Concentration of a chemical that gives half-maximal response	NFPA National Fire Protection Association
EPA Environmental Protection Agency	NIOSH National Institute for Occupational Safety and Health
Eye (EI = Irritation) (ED = Damage) (EV = Visual Impairment)	NE Not Established
FBG Full Bunker Gear	NTP National Toxicology Program
GHS Globally Harmonized System	OSHA Occupational Safety and Health Administration
HAP California Hazardous air pollutant Clean Air Act	PEL Permissible Exposure Limit (OSHA)
HMIS-A Safety Glasses	PNS Peripheral Nervous System
HMIS-B Safety glasses, gloves	PP California Priority Pollutant under the Clean Water Act
HMIS-C Safety glasses, gloves, chemical apron	REL Recommended exposure limit (NIOSH)
HMIS-D Face shield, gloves, chemical apron	RT Upper Respiratory Tract
HMIS-E Safety glasses, gloves, dust respirator	Skin (SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
HMIS-F Safety glasses, gloves, chemical apron, dust respirator	SARA Superfund Amendments and Reauthorization Act
HMIS-G Safety glasses, gloves, vapor respirator	STEL Short Term Exposure Limit (15 minutes)
HMIS-H Splash goggles, gloves, chemical apron, vapor respirator	TC Lo Lowest concentration that is toxic to a given species in a given time
HMIS-I Safety glasses, gloves, dust and vapor respirator	TD Lo Lowest dose that is toxic to a given species
HMIS-J Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV Threshold Limit Value (ACGIH)
HMIS-K Air line hood or mask, gloves, full chemical suit, boots	TP California Toxic Pollutant under the Clean Water Act
HMIS-X Ask Supervisor	TSCA Toxic Substances Control Act
HS California Hazardous Substance under the Clean Water Act	TWA Time Weighted Average (8 hours)
KD Kidney Damage (nephropathy)	UEL Upper Explosive Limit

Core Products Co., Inc.

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.