

SECTION - 1

# SAFFTY DATA SHFFT

Haitian Cotton Upholstery Shampoo

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name Haitian Cotton Upholstery Shampoo Item HCUS-Ready

Product Use Rug & Upholstery Shampoo

Company Name Core Products Co., Inc. Office (800) 825-2673

401 Industrial Rd Fax (903) 567-1346

Canton TX 75103 Web www.coreproductsco.com

EMERGENCY TELEPHONE NUMBER CHEMTREC (800) 424-9300

SECTION – 2 HAZARDS INFORMATION

Health Hazards EYES-Category 2A; SKIN-Category 2

Irritant (skin and eye)

WARNING Causes serious eye irritation, Causes skin irritation

May be harmful if swallowed, Do not get in eyes, on skin, or clothing, Do not smoke, eat or drink while using, Use personal

protective equipment as required, Wash thoroughly after handling, KEEP OUT OF REACH OF CHILDREN

SECTION – 3 COMPOSITION INFORMATION

(Exact percentage of the listed chemicals of composition has been withheld as a trade secret)

Revision Date

2/5/2016

<u>CHEMICAL NAME</u> <u>COMMON NAME AND SYNONYMS</u> <u>CAS # IMPURITIES</u> <u>PERCENT</u>

None Listed Contains no ingredients classifiable by GHS criteria

SECTION – 4 FIRST AID MEASURES

**EYE CONTACT** Immediately flush eyes with cold water for several minutes while lifting upper and lower eyelids, Remove contact

lenses if present and easy to do without injury to the eye and continue rinsing, If irritation persists seek medical aid

SKIN CONTACT Wash with water, Remove any contaminated clothing and wash before reuse, If irritation occurs or persists seek

medical aid

INHALATION Not Applicable

INGESTION DO NOT INDUCE VOMITING. If person is fully conscious, rinse mouth out and give one to two glasses of water to

dilute and obtain immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the

lungs

Aspiration Hazard Not applicable

**ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE** 

Eyes Can cause serious eye irritation, discomfort, redness, tearing

**Skin** Can cause skin irritation, drying or cracking

Inhalation Not applicable

**Ingestion** May be harmful if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

**Eyes** Causes eye irritation, redness, tearing, burning sensation

**Skin** Causes skin irritation, defatting of the skin which may lead to dermatitis

Inhalation Spray mist may cause mild irritation

Ingestion May be harmful if swallowed, May cause irritation, of the mouth, and throat

SECTION – 5 FIRE FIGHTING MEASURES

Extinguishing Media Not flammable: Use extinguishing media for surrounding fire

Hazardous Decomposition Burning or thermal decomposition can produce, phosphorus oxides, carbon monoxide, carbon dioxide, nitrogen

oxides, sodium oxides, and other toxic fumes

Reactive With Reactive with, strong oxidizing agents, strong acids

Explosion Hazards Not applicable
Static Discharge Not applicable
Mechanical Impact Not applicable

Protective Equipment Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

**Revision Date** 

### SECTION – 6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures Warn personnel of spill

Personal Precautions Avoid slipping on spilled product

Protective Equipment Safety Glasses, Gloves

Containment Use rags, towels, absorbent socks or pads to prevent spill from spreading, Prevent spill from entering the

environment

Clean Up Procedures

Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water

Disposal

Dispose of material in accordance with all State and Federal Guidelines and Regulations

### SECTION – 7 HANDLING AND STORAGE

Handling Use appropriate safety equipment, Avoid eye and skin contact, Wash thoroughly after handling, Avoid release

to the environment, Triple rinse container before discarding

Storage KEEP OUT OF REACH OF CHILDREN, Keep container closed when not in use, Store away from incompatible

materials

Incompatible Materials Incompatible with, strong oxidizing agents, strong acids

# SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS

CHEMICAL NAME

ACGIH (TWA 8)

ACGIH (STEL)

OSHA PEL (TWA 8)


OSHA (CEIL)

Exposure

None Listed


### PERSONAL PROTECTIVE EQUIPMENT







Impervious Chemical Gloves



HMIS HAZARD	<b>RATINGS</b>
Health	1
Flammability	0
Reactivity	0
<b>Personal Protection</b>	В

SECTION - 9	PHYSICAL AND CHEMICAL PROPERTIES
-------------	----------------------------------

Flash Point	> 93.3°C (200°F) - TAG Closed Cup	Specific Gravity / Density	1.220 - 1.230
Flammable Limits	ND	pH (± 0.3)	5.0 - 5.5
Auto-Ignition Temp.	ND	Viscosity	ND
Physical State	Liquid	Freeze Point	0°C (32°F)
Appearance	Clear	<b>Boiling Point</b>	100°C (212°F)
Odor	Fresh	Vapor Density (air=1)	ND
Odor Threshold	ND	Vapor Pressure (mm Hg)	ND
Solubility	100%	Evaporation Rate (nBuAc=1)	ND
Volatiles	< 84%	Partition Coefficient	ND
VOC	< 0.1%	Molecular Weight (g/mol)	~ 43.37
LVP-VOC	0.0%	<b>Decomposition Temperature</b>	ND

# SECTION - 10 STABILITY AND REACTIVITY

Reactivity (Specific Test Data) None available

Chemical Stability Stable at normal ambient temperature and pressure

Hazardous Polymerization Will not occur

Conditions To Avoid Incompatible materials

Incompatible Materials Incompatible with, strong oxidizing agents, strong acids

Thermal Decomposition Burning or thermal decomposition can produce, phosphorus oxides, carbon monoxide, carbon dioxide, nitrogen

oxides, sodium oxides, and other toxic fumes

**Revision Date** 

### SECTION – 11 TOXICOLOGICAL INFORMATION

## **ROUTES OF EXPOSURE**

Eyes (Yes), Skin (Yes), Inhalation (Yes "Mist"), Ingestion (Yes)

**ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE** 

Eyes Can cause serious eye irritation, discomfort, redness, tearing

**Skin** Can cause skin irritation, drying or cracking

Inhalation Not applicable

Ingestion May be harmful if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes eye irritation, redness, tearing, burning sensation

Skin Causes skin irritation, defatting of the skin which may lead to dermatitis

**Inhalation** Spray mist may cause mild irritation

Ingestion May be harmful if swallowed, May cause irritation, of the mouth, and throat

Acute Tox Calculated Oral: 30,451 mg/kg Dermal: 86,393 mg/kg Inhaled: (No Data) mg/L

Acute Tox Category Not applicable (Oral >5000 mg/kg), Not applicable (Dermal >5000 mg/kg), No data available (Inhaled)

**Additional Info** 

Target Organs No target organs listed

Medical Conditions Preexisting, eye, skin, disorders may be aggravated by exposure to this product

Notes to Physician Treat symptoms

CARCINOGENIC - This product contains concentrations above 0.1% of the following:

CHEMICAL NAME NTP ACGIH IARC GHS Category

None Listed NA NA NA NA NA

MUTAGENIC AND REPRODUCTIVE EFFECTS - This product contains concentrations above 0.1% of the following:

CHEMICAL NAME Germ Cell Mutagenicity Toxic to Reproduction

None Listed NA NA

**COMPONENTS ACUTE TOXICITY** 

CHEMICAL NAME Type Form Subject Result Value Exposure Time GHS Category

None Listed

SECTION – 12 ECOLOGICAL INFORMATION

CHEMICAL NAME Type Subject Subject Latin Result Value Exposure Time GHS Category

None Listed

Presistence And Degradability This product is inherently biodegradable according to the OECD definition

Bioaccumulative Potential There is no evidence to suggest bioaccumulation will occur

Mobility In Soil This material is a partially mobile liquid

Other Adverse Effects May cause long lasting harmful effects to aquatic life

### SECTION – 13 DISPOSAL CONSIDERATIONS

DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

### **ENVIRONMENTAL FATE**

Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste

CONTAINER DISPOSAL - Triple rinse container then offer for recycling. If not available, puncture and dispose in a sanitary landfill

### SECTION – 14 TRANSPORT INFORMATION

### **DOT CLASSIFICATION**

<u>UN Number</u> <u>Proper Shipping Name</u> <u>n.o.s. (Chemicals ) or "Limits"</u>

Not Regulated Non Hazardous – Compounds Cleaning Liquid

Hazard Class Packing Group Label Codes Reportable Quantity (lbs) Response Marine Pollutant Hazard Label Secondary

None None None None 154 No

**Additional Info:** 

# SECTION – 16 OTHER INFORMATION

WHMIS Classification
CHEMICAL NAME

None Listed

<u>SDS</u>	LEGEND DESCRIPTION		
ACGIH	American Conference of Governmental Industrial Hygienists	LC50	A concentration that is lethal to 50% of a given species in a given time
CAS	Chemical Abstracts Service Registry	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CEIL	Ceiling Limit (15 minutes)	LEL	Lower Explosive Limit
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	LD	Liver Damage
CI	Cochlear Impairment	NA	Not Applicable
CNS	Central Nervous System	ND	Not Determined
EC50	Concentration of a chemical that gives half-maximal response	NFPA	National Fire Protection Association
EPA	Environmental Protection Agency	NIOSH	National Institute for Occupational Safety and Health
Eye	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)	NE	Not Established
FBG	Full Bunker Gear	NTP	National Toxicology Program
GHS	Globally Harmonized System	OSHA	Occupational Safety and Health Administration
HAP	California Hazardous air pollutant Clean Air Act	PEL	Permissible Exposure Limit (OSHA)
HMIS-A	Safety Glasses	PNS	Peripheral Nervous System
HMIS-B	Safety glasses, gloves	PP	California Priority Pollutant under the Clean Water Act
HMIS-C	Safety glasses, gloves, chemical apron	REL	Recommended exposure limit (NIOSH)
HMIS-D	Face shield, gloves, chemical apron	RT	Upper Respiratory Tract
HMIS-E	Safety glasses, gloves, dust respirator	Skin	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Lowest concentration that is toxic to a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours)
KD	Kidney Damage (nephropathy)	UEL	Upper Explosive Limit

Class Description

DSL

#### Core Products Co., Inc.

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.