

SECTION - 1

SAFETY DATA SHEET

New Generation Hot Water Extract Revision Date 12/6/2015

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME New Generation Hot Water Extract ITEM HWE

PRODUCT USE Water Extraction Carpet Detergent

COMPANY NAME Core Products Co., Inc. Office (800) 825-2673

401 Industrial Rd Fax (903) 567-1346

Canton TX 75103 Web www.coreproductsco.com

EMERGENCY TELEPHONE NUMBER CHEMTREC (800) 424-9300

SECTION – 2 HAZARDS INFORMATION

Health Hazards EYES-Category 2A; SKIN-Category 2; STOT SINGLE EXPOSURE-Category 3

Irritant (skin and eye)
Respiratory Tract Irritant

WARNING Causes serious eye irritation, Causes skin irritation, May cause respiratory irritation

May be harmful if swallowed, Avoid eye or skin contact, and inhalation of mist, Use personal protective equipment as required, Wash thoroughly after handling, Avoid release into the environment, KEEP OUT OF REACH OF CHILDREN

SECTION - 3 **COMPOSITION INFORMATION** (Exact percentage of the listed chemicals of composition has been withheld as a trade secret) **CHEMICAL NAME COMMON NAME AND SYNONYMS** CAS# **IMPURITIES PERCENT** Sodium Diphenyl Oxide Dodecylbenzenesulfonate Dodecyl Disodium Salt 119345-04-9 1 - 3% Disulfonate Glycol Ether PnB 1-Butoxy-2-propanol 5131-66-8 < 5% 1-propanol-2-butoxy 1 - 3%

SECTION – 4 FIRST AID MEASURES

EYE CONTACT Immediately flush eyes with cold water for at least 15 minutes while lifting upper and lower eyelids, Remove contact

lenses if present and easy to do without injury to the eye and continue rinsing, If irritation persists seek medical aid

SKIN CONTACT Wash contaminated skin with plenty of water, Remove any contaminated clothing and wash before reuse, If irritation

occurs or persists seek medical aid

INHALATION Move person to fresh air, if they have problem breathing, show signs of overexposure or feel unwell obtain medical

attention

INGESTION DO NOT INDUCE VOMITING. If person is fully conscious, rinse mouth out and give one to two glasses of water to

dilute and obtain immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the

lungs

Aspiration Hazard Not applicable

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause serious eye irritation

Skin Can cause skin irritation, itching, redness, drying or cracking

InhalationSpray mist may cause mild irritationIngestionMay be harmful if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye irritation, discomfort, redness, tearing, burning sensation, or pain

Skin Causes skin irritation, defatting of the skin which may lead to dermatitis

Inhalation Spray mist may cause irritation, to nose, throat or mucus membranes

Ingestion May be harmful if swallowed, May cause irritation, of the mouth, throat, and esophagus, Symptoms may include,

nausea, diarrhea, vomiting, abdominal pain

SECTION – 5 FIRE FIGHTING MEASURES

Extinguishing Media Not flammable: Use extinguishing media for surrounding fire

Hazardous Decomposition Burning or thermal decomposition can produce, sulfur oxides, phosphorus oxides, aldehydes, carbon monoxide,

carbon dioxide, nitrogen oxides, ketones, and other toxic fumes

Reactive With Reactive with, strong oxidizing agents, strong bases, strong acids

Explosion Hazards Not applicable
Static Discharge Not applicable
Mechanical Impact Not applicable

Protective Equipment Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

SECTION - 6 **ACCIDENTAL RELEASE MEASURES**

Emergency Procedures Warn personnel of spill

Personal Precautions Avoid slipping on spilled product

Protective Equipment Safety Glasses, Chemical Gloves and Rubber Boots

Containment Use rags, towels, absorbent socks or pads to prevent spill from spreading, Prevent spill from entering the

environment

Clean Up Procedures Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water

Disposal Dispose of material in accordance with all State and Federal Guidelines and Regulations

SECTION - 7 HANDLING AND STORAGE

Handling Use appropriate safety equipment, Avoid eve and skin contact, Avoid inhalation of mist. May cause respiratory

irritation, May be harmful if swallowed, Wash thoroughly after handling, Avoid release to the environment, Triple

rinse container before discarding

Storage KEEP OUT OF REACH OF CHILDREN. Keep container closed when not in use. Store away from incompatible

materials

Incompatible Materials Incompatible with, strong oxidizing agents, strong bases, strong acids

EXPOSURE CONTROLS / PERSONAL PROTECTION SECTION - 8


EXPOSURE LIMITS Significant **CHEMICAL NAME** ACGIH (TWA 8) ACGIH (STEL) **OSHA PEL (TWA 8)** OSHA (CEIL) **Exposure**

None Established Sodium Diphenyl Oxide Disulfonate

Glycol Ether PnB 50 ppm

PERSONAL PROTECTIVE EQUIPMENT








Impervious Chemical Gloves



(Recommended)



HMIS HAZARD RATINGS

Health **Flammability** Reactivity **Personal Protection**

0
0
В

PHYSICAL AND CHEMICAL PROPERTIES **SECTION - 9**

Flash Point	> 93.3°C (200°F) - TAG Closed Cup	Specific Gravity / Density	0.9995 - 1.005
Flammable Limits	ND	pH (± 0.3)	7.0-8.0
Auto-Ignition Temp.	ND	Viscosity	ND
Physical State	Liquid	Freeze Point	0°C (32°F)
Appearance	Clear	Boiling Point	100°C (212°F)
Odor	Fresh fragrance	Vapor Density (air=1)	ND
Odor Threshold	ND	Vapor Pressure (mm Hg)	ND
Solubility	100%	Evaporation Rate (nBuAc=1)	ND
Volatiles	< 99%	Partition Coefficient	ND
VOC	0.04% @ 1:32 dilution	Molecular Weight (g/mol)	~ 31.58
LVP-VOC	0%	Decomposition Temperature	ND

STABILITY AND REACTIVITY **SECTION - 10**

Reactivity (Specific Test Data) None available

Chemical Stability Stable under normal ambient and anticipated conditions of use

Hazardous Polymerization Will not occur

Conditions To Avoid Incompatible materials

Incompatible Materials Incompatible with, strong oxidizing agents, strong bases, strong acids

Thermal Decomposition Burning or thermal decomposition can produce, sulfur oxides, phosphorus oxides, aldehydes, carbon monoxide,

carbon dioxide, nitrogen oxides, ketones, and other toxic fumes

SECTION – 11 TOXICOLOGICAL INFORMATION

ROUTES OF EXPOSURE

Eyes (Yes), Skin (Yes), Inhalation (Yes "Mist"), Ingestion (Yes)

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause serious eye irritation

Skin Can cause skin irritation, itching, redness, drying or cracking

Inhalation Spray mist may cause mild irritation

Ingestion May be harmful if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye irritation, discomfort, redness, tearing, burning sensation, or pain

Skin Causes skin irritation, defatting of the skin which may lead to dermatitis

Inhalation Spray mist may cause irritation, to nose, throat or mucus membranes

Ingestion May be harmful if swallowed, May cause irritation, of the mouth, throat, and esophagus, Symptoms may include,

nausea, diarrhea, vomiting, abdominal pain

Acute Tox Calculated Oral: > 5,000 mg/kg Dermal: > 5,000 mg/kg Inhaled: > 50.0 mg/L

Acute Tox Category Not applicable (Oral >5000 mg/kg), Not applicable (Dermal > 5000 mg/kg), Not applicable (Inhaled >12.5 mg/L) Dust or Mist

Additional Info

SECTION - 12

Target Organs Eyes (Lens or cornea), Skin, Upper Respiratory Tract

Medical Conditions Preexisting, eye, skin, respiratory, disorders may be aggravated by exposure to this product

Notes to Physician In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption

CARCINOGENIC – This product contains concentrations above 0.1% of the following:

CHEMICAL NAMENTPACGIHIARCGHS Category

None Listed NA NA NA NA

MUTAGENIC AND REPRODUCTIVE EFFECTS – This product contains concentrations above 0.1% of the following:

CHEMICAL NAME Germ Cell Mutagenicity Toxic to Reproduction

None Listed NA NA

COMPONENTS ACUTE TOXICITY

CHEMICAL NAME Result Value **Exposure Time GHS Category Type Form Subject** Glycol Ether PnB LD50 Oral Rat 5,009 mg/kg (>2000 mg/kg) Dermal > 2,000 mg/kg(>2000 mg/kg) LD50 Rat

ECOLOGICAL INFORMATION

CHEMICAL NAME Type Subject Latin Result Value Exposure Time **GHS Category** LC50 Glycol Ether PnB Guppy (Poecilia reticulata) 560 mg/L 96 Hours 4 (>100 mg/L) LC50 Fish (Leuciscus idus) > 1,000 mg/L96 Hours 4 (>100 mg/L)

Presistence And Degradability This product is inherently biodegradable according to the OECD definition, Phosphates may persist in the

environment

Bioaccumulative Potential There is no evidence to suggest bioaccumulation will occur

Mobility In SoilThis material is a mobile liquidOther Adverse EffectsMay be harmful to aquatic life

SECTION – 13 DISPOSAL CONSIDERATIONS

DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER

Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

ENVIRONMENTAL FATE

Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste.

CONTAINER DISPOSAL - Triple rinse container then offer for recycling. If not available, puncture and dispose in a sanitary landfill.

SECTION – 14 TRANSPORT INFORMATION

DOT CLASSIFICATION

UN Number Proper Shipping Name n.o.s. (Chemicals) or "Limits"

Not Regulated Non Hazardous – Compounds Cleaning Liquid

<u>Hazard Class</u> <u>Packing Group</u> <u>Label Codes</u> <u>Reportable Quantity (lbs)</u> <u>Response</u> <u>Marine Pollutant</u> <u>Hazard Label</u> <u>Secondary</u>

None None None 154 No

Additional Info:

Page 4 of 5		New Generation	on Hot	Water Extra	ict			Re	evision Da	ate	12/6/2015
SECTION – 15 REGULATORY	INFORMATION										
TSCA											
CHEMICAL NAME	Sec 8(b) Inventor	Sec 8(d) l	Health A	and Safety	Se	c 4(a) Che	mical Test F	Rules	Sec 12(b) Export	Notification
Sodium Diphenyl Oxide Disulfonate	Yes										
Glycol Ether PnB	Yes										
REPORTABLE QUANTITIES	Extremel	/ Hazardous		Reportable Q	uantity	Emission	n Reporting				
CHEMICAL NAME	EPCRA TPQ Sec 30	2 EPCRA RQ Sec	304	CERCLA RQ	Sec 103	TRIS	Sec 313	RCI	RA Code	RMP	TQ Sec 112r
None Listed											
SARA	Section 3	11			Section	on 311 / 3	12 Hazard	ds			
CHEMICAL NAME	Hazardous Ch	emical	Acute	C	hronic	FI	ammable	F	Pressure		Reactive
Sodium Diphenyl Oxide Disulfonate	Yes		Yes								
Glycol Ether PnB	Yes		Yes				Yes				
RIGHT TO KNOW				STATE							
CHEMICAL NAME	CA CT	FL IL	LA	NJ	NY	PA	MI	MN	MA	RI	WI
Glycol Ether PnB					Yes	Yes					
CALIFORNIA		WARNING! Th	nis pro	duct contair	s chem	icals kno	wn to the	state o	of Californ	nia to c	ause:
CHEMICAL NAME	CAS#	Birth Defects		Reproduc	tive Har	m	Carcino	gen		evelop	mental
None Listed											
CLEAN AIR WATER ACTS		Clean Air Ac	ts				C	lean W	ater Acts		
CHEMICAL NAME	CAS#	HAP	Ozoı	ne Class 1	Ozor	ne Class	2 F	IS	PP		TP
None Listed											
INTERNATIONAL REGULATIONS	- The components o	this product are	listed o	on the chemi	cal inve	ntories of	the followi	ng cour	tries:		
CHEMICAL NAME	Australia	Canada	E	urope (EIN	ECS)	Japa	n	Ko	rea		UK
Sodium Diphenyl Oxide Disulfonate	Yes	Yes		Yes		Yes	3	Y	es		Yes
Glycol Ether PnB	Yes	Yes		Yes		Yes	5	Y	es		Yes
WHMIS Classification											
CHEMICAL NAME	DSL	Class Desc	ription	1							
None Listed											

SECTION – 16 OTHER INFORMATION

<u>SDS</u>	LEGEND DESCRIPTION		
ACGIH	American Conference of Governmental Industrial Hygienists	LC50	A concentration that is lethal to 50% of a given species in a given time
CAS	Chemical Abstracts Service Registry	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CEIL	Ceiling Limit (15 minutes)	LEL	Lower Explosive Limit
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	LD	Liver Damage
CI	Cochlear Impairment	NA	Not Applicable
CNS	Central Nervous System	ND	Not Determined
EC50	Concentration of a chemical that gives half-maximal response	NFPA	National Fire Protection Association
EPA	Environmental Protection Agency	NIOSH	National Institute for Occupational Safety and Health
Eye	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)	NE	Not Established
FBG	Full Bunker Gear	NTP	National Toxicology Program
GHS	Globally Harmonized System	OSHA	Occupational Safety and Health Administration
HAP	California Hazardous air pollutant Clean Air Act	PEL	Permissible Exposure Limit (OSHA)
HMIS-A	Safety Glasses	PNS	Peripheral Nervous System
HMIS-B	Safety glasses, gloves	PP	California Priority Pollutant under the Clean Water Act
HMIS-C	Safety glasses, gloves, chemical apron	REL	Recommended exposure limit (NIOSH)
HMIS-D	Face shield, gloves, chemical apron	RT	Upper Respiratory Tract
HMIS-E	Safety glasses, gloves, dust respirator	Skin	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Lowest concentration that is toxic to a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours)
KD	Kidney Damage (nephropathy)	UEL	Upper Explosive Limit

Core Products Co., Inc.

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.

Print Date 12/18/2015

Supersedes Safety Data Sheet Dated

1/1/2013