

SECTION - 1

SAFETY DATA SHEET

Unbelievable!® Rid'z Odor Deodorizing Spray

Revision Date

1/5/2016

URODS-CM URODS-CB

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME Unbelievable!® Rid'z Odor Deodorizing Spray ITEM URODS-SF

Spring Fresh, Country Meadow, Citrus Blossom Scent

PRODUCT USE Multi-Surface Deodorizing Spray

COMPANY NAME Core Products Co., Inc. Office (800) 825-2673

401 Industrial Rd Fax (903) 567-1346

Canton TX 75103 Web www.coreproductsco.com

EMERGENCY TELEPHONE NUMBER CHEMTREC (800) 424-9300

SECTION – 2 HAZARDS INFORMATION

Physical Hazards FLAMMABLE LIQUIDS-Category 4

Health Hazards EYES-Category 1; SKIN-Category 2; STOT SINGLE EXPOSURE-Category 3

Irritant (skin and eye)
Respiratory Tract Irritant

WARNING Combustible liquid, (Liquid does not sustain combustion, Not Regulated by DOT)

Causes serious eye irritation, Causes skin irritation, May cause respiratory irritation

May be harmful if swallowed, Do not get in eyes, on skin, or clothing, and avoid inhalation of mist, Use personal protective

equipment as required, Wash thoroughly after handling, Avoid release into the environment

SECTION - 3 COMPOSITION INFORMATION (Exact percentage of the listed chemicals of composition has been withheld as a trade secret)

CHEMICAL NAME COMMON NAME AND SYNONYMS CAS# **IMPURITIES PERCENT** 67-63-0 1 - 5% Isopropyl Alcohol Isopropanol, 2-propanol Water < 1% Polyoxyethylene Nonyl Phenyl Ether 127087-87-0 Poly(ethylene oxide) < 3%, 1 - 3% Nonylphenol Ethoxylate Dinonylphenyl polyoxyethylene < 2%

SECTION – 4 FIRST AID MEASURES

EYE CONTACT Immediately flush eyes with cold water for at least 15 minutes while lifting upper and lower eyelids, Remove contact

lenses if present and easy to do without injury to the eye and continue rinsing, If irritation persists seek medical aid

SKIN CONTACT Wash contaminated skin with plenty of water, Remove any contaminated clothing and wash before reuse, If irritation

occurs or persists seek medical aid

INHALATION Move person to fresh air, if they have problem breathing, show signs of overexposure or feel unwell obtain medical

attention

INGESTION DO NOT INDUCE VOMITING. If person is fully conscious, rinse mouth out and give one to two glasses of water to

dilute and obtain immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the

lungs

Aspiration Hazard Not applicable

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause serious eye irritation, by direct product contact or mists

Skin Can cause skin irritation, redness, drying or cracking
Inhalation Spray mist may cause mild irritation, to respiratory tract

Ingestion May be harmful if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye irritation, redness, tearing, or pain, by direct product contact or mists

Skin Can cause skin irritation, defatting of the skin which may lead to dermatitis

Inhalation Spray mist may cause irritation, to respiratory tract

Ingestion May be harmful if swallowed, May affect target organs, liver, kidneys, blood, central nervous system

SECTION – 5 FIRE FIGHTING MEASURES

Extinguishing MediaDoes not sustain combustion, Use extinguishing media for surrounding fire

Hazardous Decomposition Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes

Reactive With Reactive with, strong oxidizing agents, strong bases, strong acids

Explosion Hazards Not applicable
Static Discharge Not applicable
Mechanical Impact Not applicable

Protective Equipment Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

Revision Date

SECTION – 6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures Warn personnel of spill

Personal Precautions Avoid slipping on spilled product

Protective Equipment Safety Glasses, Gloves

Containment Use rags or towels to prevent spill from spreading

Clean Up Procedures

Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water

Disposal

Dispose of material in accordance with all State and Federal Guidelines and Regulations

SECTION – 7 HANDLING AND STORAGE

Handling Use appropriate safety equipment, Avoid eye and skin contact, Avoid inhalation of mist, Wash thoroughly after

handling, Avoid release to the environment, Triple rinse container before discarding

Storage KEEP OUT OF REACH OF CHILDREN, Keep container closed when not in use, Store away from incompatible

materials, Store away from heat sources

Incompatible Materials Incompatible with, strong oxidizing agents, strong bases, strong acids

SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS					Significant
CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA PEL (TWA 8)	OSHA (CEIL)	Exposure
Isopropyl Alcohol	200 ppm (A4)	400 ppm	400 ppm	500 ppm (1225 mg/m³)	CNS
Nonylphenol Ethoxylate	None Established				ED

PERSONAL PROTECTIVE EQUIPMENT








Impervious Chemical Gloves



(Recommended)



IMIS HAZARD RATINGS

HMIS HAZARD	RATINGS
Health	1
Flammability	2
Reactivity	0
Personal Protection	В

SECTION - 9	PHYSIC	CAL AND (CHEMICAL	PROPERT	IES

Flash Point	45.8°C (114.4°F) - TAG Closed Cup	Specific Gravity / Density	1.006
Flammable Limits	Does not sustain combustion (ASTM D4206)	pH (± 0.3)	7.2
Auto-Ignition Temp.	ND	Viscosity	ND
Physical State	Liquid	Freeze Point	0°C (32°F)
Appearance	Clear	Boiling Point	100°C (212°F)
Odor	Fresh	Vapor Density (air=1)	ND
Odor Threshold	ND	Vapor Pressure (mm Hg)	ND
Solubility	100%	Evaporation Rate (nBuAc=1)	ND
Volatiles	< 97%	Partition Coefficient	ND
VOC	5.8%	Molecular Weight (g/mol)	~ 42.92
LVP-VOC	0.00%	Decomposition Temperature	ND

SECTION - 10 STABILITY AND REACTIVITY

Reactivity (Specific Test Data) None available

Chemical Stability Stable at normal ambient temperature and pressure

Hazardous Polymerization Will not occur

Conditions To Avoid Incompatible materials

Incompatible Materials Incompatible with, strong reducing agents, strong bases, strong acids

Thermal Decomposition Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes

Revision Date

SECTION – 11 TOXICOLOGICAL INFORMATION

ROUTES OF EXPOSURE

Eyes (Yes), Skin (Yes), Inhalation (Yes "Mist"), Ingestion (Yes)

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause serious eye irritation, by direct product contact or mists

Skin Can cause skin irritation, redness, drying or cracking
Inhalation Spray mist may cause mild irritation, to respiratory tract

Ingestion May be harmful if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye irritation, redness, tearing, or pain, by direct product contact or mists

Skin Can cause skin irritation, defatting of the skin which may lead to dermatitis

Inhalation Spray mist may cause irritation, to respiratory tract

Ingestion May be harmful if swallowed, May affect target organs, liver, kidneys, blood, central nervous system

Acute Tox Calculated Oral: 31,275 mg/kg Dermal: 66,945 mg/kg Inhaled: 38.5 mg/L

Acute Tox Category Not applicable (Oral >5000 mg/kg), Not applicable (Dermal >5000 mg/kg), Not applicable (Inhaled >12.5 mg/L) Dust or Mist

Additional Info

Target Organs Kidneys, Liver, Respiratory Tract, Eyes (Lens or cornea), Skin, Central Nervous System

Medical Conditions Preexisting, eye, liver, kidney, central nervous system, respiratory, disorders may be aggravated by exposure to this

product

Notes to Physician In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption

CARCINOGENIC - This product contains concentrations above 0.1% of the following:

CHEMICAL NAMENTPACGIHIARCGHS CategoryNone ListedNANANANA

MUTAGENIC AND REPRODUCTIVE EFFECTS - This product contains concentrations above 0.1% of the following:

CHEMICAL NAME Germ Cell Mutagenicity Toxic to Reproduction

None Listed NA NA

COMPONENTS ACUTE TOXICITY

CHEMICAL NAME	<u>Type</u>	<u>Form</u>	<u>Subject</u>	Result Value	Exposure Time	GHS Category
Isopropyl Alcohol	LD50	Oral	Rat	5,045 mg/kg		(>2000 mg/kg)
	LC50	Inhalation	Rat	78.6 mg/L	4 Hours (Vapor)	(>20 mg/L)
	LD50	Dermal	Rabbit	12,870 mg/kg		(>2000 mg/kg)
Nonylphenol Ethoxylate	LD50	Oral	Rat	960 mg/kg		4 (>300, ≤2000 mg/kg)
	LD50	Inhaled	Rat	1.15 mg/L	4 Hours (Mist)	4 (>1.0, ≤5 mg/L)
	LD50	Dermal	Rabbit	2,001 mg/kg		(>2000 mg/kg)

SECTION - 12	ECOLOGICAL	INFORMATION

CHEMICAL NAME	<u>Type</u>	Subject Subject Latin	Result Value	Exposure Time	GHS Category
Isopropyl Alcohol	LC50	Fish (Leuciscus idus)	>100 mg/L	96 Hours	4 (>100 mg/L)
	EC50	Water Flea (Daphnia magna)	5,102 mg/L	24 Hours	4 (>100 mg/L)
	LC50	Fathead Minnow (Pimephales promelas)	9,640 mg/L	96 Hours	4 (>100 mg/L)
Nonylphenol Ethoxylate	LC50	Fathead Minnow (Pimephales promelas)	3.8 mg/L	96 Hours	2 (>1, ≤10 mg/L)
	LC50	Water Flea (Daphnia magna)	9.3 mg/L	48 Hours	2 (>1, ≤10 mg/L)

Presistence And Degradability This product is inherently biodegradable according to the OECD definition

Bioaccumulative Potential There is no evidence to suggest bioaccumulation will occur

Mobility In SoilThis material is a mobile liquidOther Adverse EffectsMay be harmful to aquatic life

SECTION – 13 DISPOSAL CONSIDERATIONS

DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER

Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

ENVIRONMENTAL FATE

Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste

CONTAINER DISPOSAL - Triple rinse container then offer for recycling. If not available, puncture and dispose in a sanitary landfill

SECTION – 14 TRANSPORT INFORMATION

DOT CLASSIFICATION

UN Number Proper Shipping Name n.o.s. (Chemicals) or "Limits"

Not Regulated Non Regulated Material

Hazard Class Packing Group Label Codes Reportable Quantity (lbs) Response Marine Pollutant Hazard Label Secondary

None None None 128 No

Additional Info: Liquid does not sustain combustion by the prescribed procedure in the 49 CFR §173.120(a)(3)

SECTION – 15 REGULATORY	INFORMATION	NC											
TSCA													
CHEMICAL NAME	Sec 8(b)	Inventor	y S	ec 8(d) I	Health A	nd Safety	Se	ec 4(a) Cher	nical Test F	Rules	Sec 12(b) Expoi	rt Notificatio
Isopropyl Alcohol	Y	'es			Yes								
REPORTABLE QUANTITIES		Extremel	y Hazardou	S		Reportable	Quantity	Emission	Reporting				
CHEMICAL NAME	EPCRA TE	Q Sec 30	2 EPCRA	RQ Sec	304	CERCLA RO	Q Sec 103	TRIS	Sec 313	RC	RA Code	RMF	P TQ Sec 112
2-Propanol								Y	'es				
SARA	Se	ection 3	11				Section	on 311 / 3	12 Hazard	ds			
CHEMICAL NAME	Hazar	dous Ch	nemical		Acute		Chronic	Fla	ammable		Pressure		Reactive
Isopropyl Alcohol		Yes			Yes		Yes		Yes				
Nonylphenol Ethoxylate		Yes			Yes								
RIGHT TO KNOW						STATE							
CHEMICAL NAME	CA	CT	FL	IL	LA	NJ	NY	PA	MI	MN	MA	RI	WI
Isopropyl Alcohol			Yes			Yes		Yes		Yes	Yes	Yes	
Nonylphenol Ethoxylate						Yes		Yes					
<u>CALIFORNIA</u>			WARNI	NG! Th	is prod	duct conta	ins chem	icals kno	wn to the	state o	of Califori	nia to c	cause:
CHEMICAL NAME	CAS#		Birth D	efects		Reprodu	ctive Har	m	Carcino	gen	[Develo	pmental
None Listed													
CLEAN AIR WATER ACTS			Clean	Air Ac	ts				C	Clean W	later Acts	3	
CHEMICAL NAME	CAS#		HAP		Ozor	ne Class 1	Ozor	ne Class 2	2 F	HS	PP	•	TP
None Listed													
INTERNATIONAL REGULATIONS	 The compo 	nents o	f this prod	uct are	listed o	on the cher	nical inve	ntories of	the followi	ng cour	ntries:		
CHEMICAL NAME	Aust	ralia	Ca	anada	E	urope (Ell	NECS)	Japa	n	K	orea		UK
Isopropyl Alcohol	Ye	s	,	Yes		Yes		Yes	1	Υ	′es		Yes
WHMIS Classification													
CHEMICAL NAME		DSL	Class	Desc	ription	1							
Isopropyl Alcohol		Yes	D-2B	Mate	erials C	Causing O	ther Tox	ic Effects	; Toxic N	1ateria	I		

Revision Date

SECTION – 16 OTHER INFORMATION

SDS	LEGEND DESCRIPTION		
ACGIH	American Conference of Governmental Industrial Hygienists	LC50	A concentration that is lethal to 50% of a given species in a given time
CAS	Chemical Abstracts Service Registry	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CEIL	Ceiling Limit (15 minutes)	LEL	Lower Explosive Limit
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	LD	Liver Damage
CI	Cochlear Impairment	NA	Not Applicable
CNS	Central Nervous System	ND	Not Determined
EC50	Concentration of a chemical that gives half-maximal response	NFPA	National Fire Protection Association
EPA	Environmental Protection Agency	NIOSH	National Institute for Occupational Safety and Health
Eye	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)	NE	Not Established
FBG	Full Bunker Gear	NTP	National Toxicology Program
GHS	Globally Harmonized System	OSHA	Occupational Safety and Health Administration
HAP	California Hazardous air pollutant Clean Air Act	PEL	Permissible Exposure Limit (OSHA)
HMIS-A	Safety Glasses	PNS	Peripheral Nervous System
HMIS-B	Safety glasses, gloves	PP	California Priority Pollutant under the Clean Water Act
HMIS-C	Safety glasses, gloves, chemical apron	REL	Recommended exposure limit (NIOSH)
HMIS-D	Face shield, gloves, chemical apron	RT	Upper Respiratory Tract
HMIS-E	Safety glasses, gloves, dust respirator	Skin	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Lowest concentration that is toxic to a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours)
KD	Kidney Damage (nephropathy)	UEL	Upper Explosive Limit

Core Products Co., Inc.

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.

Print Date 1/22/2016

Supersedes Safety Data Sheet Dated