

SECTION – 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name Core Blue Power Concentrate Item CBPD
 "Not For Sale in California"
Product Use All Purpose Cleaner / Degreaser
Company Name Core Products Co., Inc. **Office** (800) 825-2673
 401 Industrial Rd **Fax** (903) 567-1346
 Canton TX 75103 **Web** www.coreproductsco.com

EMERGENCY TELEPHONE NUMBER CHEMTREC (800) 424-9300

SECTION – 2 HAZARDS INFORMATION
Pictogram

Signal Word Danger

Hazards PHYSICAL / HEALTH / ENVIRONMENTAL HAZARD STATEMENTS

Causes skin irritation
 Causes serious eye damage
 Harmful to aquatic life
 Harmful to aquatic life with long lasting effects

HAZARD CATEGORY CLASSIFICATION CODE

Category 2	Skin	H315
Category 1	Eyes	H318
Category 3	Acute Toxicity	H402
Category 3	Chronic Toxicity	H412

Precautions HANDLING / PROTECTION / FIRE / STORAGE / DISPOSAL

Keep out of reach of children
 Read label before use
 Avoid breathing dust / fume / gas / mist / vapours / spray
 Do not get in eyes, on skin, or on clothing
 Wash thoroughly after handling
 Do not eat, drink or smoke when using this product
 Avoid release to the environment
 Wear protective gloves / protective clothing / eye protection / face protection

CODE

	P102
	P103
	P261
	P262
	P264
	P270
	P273
	P280
Dispose of material in accordance with all State and Federal Guidelines and Regulations	P501

SECTION – 3 COMPOSITION INFORMATION

(Exact percentage of the listed chemicals of composition has been withheld as a trade secret)

CHEMICAL NAME	COMMON NAME AND SYNONYMS	CAS #	IMPURITIES	PERCENT
EDTA Tetrasodium Salt	Ethylenediamine Tetraacetate	64-02-8	Sodium Hydroxide < 1.6%, Nitritotriacetate, trisodium salt (NTA) < 1%, Sodium hydroxyacetate < 3%	1 - 5%
Nonylphenol Ethoxylate	Polyoxyethylene Nonyl Phenyl Ether	127087-87-0	Poly(ethylene oxide) < 3%, Dinonylphenyl polyoxyethylene < 2%	1 - 5%
Glycol Ether EB	Ethylene Glycol Monobutyl Ether	111-76-2		1 - 5%

SECTION – 4 FIRST AID MEASURES

Eye Contact Immediately flush eyes with cold water for at least 15 minutes while lifting upper and lower eyelids, Remove contact lenses if present and easy to do without injury to the eye and continue rinsing, Obtain immediate medical attention, preferably from an ophthalmologist or Emergency Room
Skin Contact Wash contaminated skin with plenty of soap and water, Remove any contaminated clothing and wash before reuse, If irritation is present or occurs obtain medical attention
Inhaled Not applicable under normal use. If irritation is experienced, move person to fresh air.
Ingested DO NOT INDUCE VOMITING, rinse mouth with water, and drink small quantities of water, Call a physician, or poison control center, and get medical attention, If victim feels nauseous stop drinking, If vomiting occurs, keep head below hips to prevent aspiration into the lungs
Important Effects Exposure may affect, blood, kidneys, liver, by ingestion
Important Symptoms Symptoms may include, abdominal pain, nausea, vomiting

SECTION – 5 FIRE FIGHTING MEASURES

Extinguishing Media Not flammable: Use extinguishing media for surrounding fire
Explosion Hazard Not applicable
Hazardous Decomposition Burning or thermal decomposition can produce, aldehydes, carbon dioxide, carbon monoxide, ketones, nitrogen oxides, organic acids, sodium oxides
Protective Equipment Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

SECTION – 6

Emergency Procedures	Warn personnel of spill, Stop spill or release only if it can be done safely, Ventilate area, Keep unprotected personnel from entering the spill area
Personal Precautions	Follow all safety precautions, Wear Personal Protective Equipment, Do not walk through spill
Protective Equipment	Safety Glasses, Chemical Gloves, Rubber Boots
Containment	Use rags, towels, absorbent socks or pads to prevent spill from spreading, Prevent spill from spreading or entering the environment
Clean Up Procedures	Small Spills: Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water, Large Spills: Absorb spill with inert material, place in a chemical waste container, mop area with clean water
Disposal	Dispose of material in accordance with all State and Federal Guidelines and Regulations

SECTION – 7 HANDLING AND STORAGE

Handling	Do not get in eyes, on skin, or clothing, Use appropriate safety equipment, and adequate ventilation, Do not smoke, eat or drink while using, Wash thoroughly after handling, Avoid release to the environment, Empty containers retain product residue (vapors, liquid or solids) observe all precautions when handling
Storage	KEEP OUT OF REACH OF CHILDREN, Keep container closed when not in use, Keep only in original container, Store away from incompatible materials
Incompatible Materials	Incompatible with, strong acids, strong bases, strong oxidizing agents, alkaline earth metals, aluminum, copper alloys, nickel

SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**EXPOSURE LIMITS**

CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA PEL (TWA 8)	OSHA (CEIL)	Significant Exposure
Glycol Ether EB	20 ppm		50 ppm (240 mg/m ³)		SA
EDTA Tetrasodium Salt	None Established				ED,SI
Nonylphenol Ethoxylate	None Established				ED,SI

PERSONAL PROTECTION**HMIS HAZARD RATINGS**

Health	2
Flammability	0
Reactivity	0
Personal Protection	B

Eyes	Wear safety glasses with side protection when handling / using this material
Hands	Wear impervious gloves when handling / using this material
Response	Access to an eye wash station is a recommended safety precaution for handling / using this type of material
Ventilation	General Ventilation

SECTION – 9 PHYSICAL AND CHEMICAL PROPERTIES

Flash Point	> 93.3°C (200°F) - TAG Closed Cup	Specific Gravity / Density	1.013
Flammable Limits	ND	pH (± 0.3)	11.0 - 12.0
Auto-Ignition Temp.	ND	Viscosity	ND
Physical State	Liquid	Freeze Point	~ 0°C (32°F)
Appearance	Crystal Clear	Boiling Point	~ 100°C (212°F)
Odor	Mild	Vapor Density (air=1)	ND
Odor Threshold	ND	Vapor Pressure (mmHg)	ND
Solubility	Dispersible	Evaporation Rate (nBuAc=1)	ND
Volatiles	< 95%	Partition Coefficient	ND
VOC	< 4% Full Strength	Molecular Weight (g/mol)	~ 57.40
LVP-VOC	< 1% Full Strength	Decomposition Temperature	ND

SECTION – 10 STABILITY AND REACTIVITY

Reactivity	No specific test data related to reactivity available for this product or its ingredients
Chemical Stability	Stable under normal ambient and anticipated conditions of use
Hazardous Polymerization	Will not occur
Conditions To Avoid	Incompatible materials
Incompatible Materials	Incompatible with, strong acids, strong bases, strong oxidizing agents, alkaline earth metals, aluminum, copper alloys, nickel
Hazardous Decomposition	Burning or thermal decomposition can produce, aldehydes, carbon dioxide, carbon monoxide, ketones, nitrogen oxides, organic acids, sodium oxides

SECTION – 11 TOXICOLOGICAL INFORMATION**ROUTES OF EXPOSURE**

Eyes (Yes), Skin (Yes), Inhalation (Yes "Mist"), Ingestion (Yes)

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause serious eye irritation, redness, tearing, pain, or possible eye damage
Skin Can cause skin irritation, redness, burning, drying or cracking
Inhalation Spray mist may cause mild irritation, to respiratory tract
Ingestion May be harmful if swallowed, May cause irritation, of the mouth, throat, and esophagus

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye damage, redness, tearing, pain, or possible corneal injury
Skin Causes skin irritation, defatting of the skin which may lead to dermatitis
Inhalation Spray mist may cause irritation, to mucus membranes or respiratory tract
Ingestion May be harmful if swallowed, May cause irritation, of the mouth, throat, and esophagus, Ingestion may affect, liver, kidneys, blood, Symptoms may include, gastrointestinal irritation, nausea, vomiting, abdominal pain

Acute Tox Calculated **Oral:** 8,781 mg/kg **Dermal:** 28,655 mg/kg **Inhaled:** 26.7 mg/L

Acute Tox Category Not applicable (Oral >5,000 mg/kg), Not applicable (Dermal >5,000 mg/kg), Not applicable (Inhaled >12.5 mg/L) Dust or Mist

Additional Info

Target Organs Blood, Kidneys, Liver, Eyes (Lens or cornea), Skin
Medical Conditions Preexisting, eye, skin, liver, kidney, blood, disorders may be aggravated by exposure to this product
Notes to Physician Treat symptoms

CARCINOGENIC – This product contains concentrations above 0.1% of the following:

<u>CHEMICAL NAME</u>	<u>NTP</u>	<u>ACGIH</u>	<u>IARC</u>	<u>GHS Category</u>
None Listed	NA	NA	NA	NA

MUTAGENIC AND REPRODUCTIVE EFFECTS – This product contains concentrations above 0.1% of the following:

<u>CHEMICAL NAME</u>	<u>Germ Cell Mutagenicity</u>	<u>Toxic to Reproduction</u>
None Listed	NA	NA

COMPONENTS ACUTE TOXICITY

<u>CHEMICAL NAME</u>	<u>Type</u>	<u>Form</u>	<u>Subject</u>	<u>Result Value</u>	<u>Exposure Time</u>	<u>GHS Category</u>
EDTA Tetrasodium Salt	LD50	Oral	Rat	630 mg/kg		(>2000 mg/kg)
Nonylphenol Ethoxylate	LD50	Oral	Rat	960 mg/kg		4 (>300, ≤2000 mg/kg)
	LD50	Inhaled	Rat	1.15 mg/L	4 Hours (Mist)	4 (>1.0, ≤5 mg/L)
	LD50	Dermal	Rabbit	2,001 mg/kg		(>2000 mg/kg)
Glycol Ether EB	LD50	Oral	Guinea Pig	1,414 mg/kg		4 (>300, ≤2000 mg/kg)
	LD50	Dermal	Rat	2,270 mg/kg		(>2000 mg/kg)
	LC50	Inhaled	Rat	5.9 mg/L	4 Hours (Mist)	(>5 mg/L)

SECTION – 12 ECOLOGICAL INFORMATION

<u>CHEMICAL NAME</u>	<u>Type</u>	<u>Subject Subject Latin</u>	<u>Result Value</u>	<u>Exposure Time</u>	<u>GHS Category</u>
EDTA Tetrasodium Salt	LC50	Bluegill (Lepomis macrochirus)	760 mg/L	96 Hours	4 (>100 mg/L)
	LC50	Fathead Minnow (Pimephales promelas)	59.8 mg/L	96 Hours	3 (>10, ≤100 mg/L)
Nonylphenol Ethoxylate	LC50	Fathead Minnow (Pimephales promelas)	3.8 mg/L	96 Hours	2 (>1, ≤10 mg/L)
	LC50	Water Flea (Daphnia magna)	9.3 mg/L	48 Hours	2 (>1, ≤10 mg/L)
Glycol Ether EB	EC50	Water Flea (Daphnia magna)	1,815 mg/L	24 Hours	4 (>100 mg/L)
	EC50	Algae (Pseudokirchneriella s.)	1,840 mg/L	72 Hours	4 (>100 mg/L)
	LC50	Bluegill (Lepomis macrochirus)	220 mg/L	96 Hours	4 (>100 mg/L)

Presistence And Degradability This product is inherently biodegradable according to the OECD definition

Bioaccumulative Potential There is no evidence to suggest bioaccumulation will occur

Mobility In Soil This material is a mobile liquid

Other Adverse Effects Harmful to aquatic life with long lasting effects

SECTION – 13 DISPOSAL CONSIDERATIONS

Disposal Statement DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER
Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

Container Disposal Empty containers retain product residue (vapors, liquid or solid) observe all precautions when handling, Triple rinse empty container then offer for recycling. If not available, puncture and dispose in a sanitary landfill

Material Disposal Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste, Chemical additions, processing or otherwise altering this material may make the waste management information presented in this SDS incomplete, inaccurate, or otherwise inappropriate

SECTION – 14 TRANSPORT INFORMATION**DOT CLASSIFICATION****UN Number**

Not Regulated

Proper Shipping Name n.o.s. (Chemicals) or "Limits"

Non Regulated Material

Hazard Class	Packing Group	Label Codes	Reportable Quantity (lb)	Response	Marine Pollutant	Hazard Label	Secondary
None	None	None	None	128	No		

Additional Info:

SECTION – 15 REGULATORY INFORMATION**TSCA**

CHEMICAL NAME	Sec 8(b) Active Inventory	Sec 8(d) Health And Safety	Sec 4(a) Chemical Test Rules	Sec 12(b) Export Notification
Glycol Ether EB	Yes	Yes		

REPORTABLE QUANTITIES

CHEMICAL NAME	Extremely Hazardous EPCRA TPQ Sec 302 EPCRA RQ Sec 304	Reportable Quantity CERCLA RQ Sec 103	Emission Reporting TRI Sec 313	RCRA Code	RMP TQ Sec 112r
Glycol Ethers			Yes		

SARA

CHEMICAL NAME	Section 311		Section 311 / 312 Hazards			
	Hazardous Chemical	Acute	Chronic	Flammable	Pressure	Reactive
Nonylphenol Ethoxylate	Yes	Yes				
Glycol Ether EB	Yes	Yes	Yes	Yes		
EDTA Tetrasodium Salt	Yes	Yes				

RIGHT TO KNOW

CHEMICAL NAME	STATE												
	CA	CT	FL	IL	LA	NJ	NY	PA	MI	MN	MA	RI	WI
Nonylphenol Ethoxylate	Yes					Yes		Yes			Yes	Yes	
Glycol Ether EB						Yes		Yes			Yes		
EDTA Tetrasodium Salt						Yes		Yes					

CALIFORNIA

WARNING: This Product can expose you to chemicals (Listed below) known to the State of California to cause cancer, birth defects or reproductive harm. For more information go to www.P65Warnings.ca.gov

CHEMICAL NAME	CAS #	Birth Defects	Reproductive Harm	Carcinogen	Developmental
Ethylene Oxide < 0.001%	75-21-8		Yes	Yes	Yes

CLEAN AIR WATER ACTS

CHEMICAL NAME	CAS #	Clean Air Acts			Clean Water Acts		
		HAP	Ozone Class 1	Ozone Class 2	HS	PP	TP
None Listed							

INTERNATIONAL REGULATIONS – The components of this product are listed on the chemical inventories of the following countries:

CHEMICAL NAME	Australia	Canada	Europe (EINECS)	Japan	Korea	UK
Nonylphenol Ethoxylate	Yes	Yes	Yes	Yes	Yes	Yes
Glycol Ether EB	Yes	Yes	Yes	Yes	Yes	Yes

WHMIS Classification

CHEMICAL NAME	DSL	Class Description
Glycol Ether EB	Yes	D-2A Materials Causing Other Toxic Effects; Very Toxic Material
Nonylphenol Ethoxylate, Glycol Ether EB		D-2B Materials Causing Other Toxic Effects; Toxic Material

SECTION – 16 OTHER INFORMATION**SDS LEGEND DESCRIPTION**

~	Approximately	KD	Kidney Damage (nephropathy)
ACGIH	American Conference of Governmental Industrial Hygienists	LC50	A concentration that is lethal to 50% of a given species in a given time
CAS	Chemical Abstracts Service Registry	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CEIL	Ceiling Limit (15 minutes)	LEL	Lower Explosive Limit
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	LD	Liver Damage
CI	Cochlear Impairment	NA	Not Applicable
CNS	Central Nervous System	ND	Not Determined
EC50	Concentration of a chemical that gives half-maximal response	NE	Not Established
EPA	Environmental Protection Agency	NFPA	National Fire Protection Association
Eye	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)	NIOSH	National Institute for Occupational Safety and Health
FBG	Full Bunker Gear	NTP	National Toxicology Program
GHS	Globally Harmonized System	OSHA	Occupational Safety and Health Administration
HAP	California Hazardous Air Pollutant Clean Air Act	PEL	Permissible Exposure Limit (OSHA)
HMIS-A	Safety glasses	PNS	Peripheral Nervous System
HMIS-B	Safety glasses, gloves	PP	California Priority Pollutant under the Clean Water Act
HMIS-C	Safety glasses, gloves, chemical apron	REL	Recommended exposure limit (NIOSH)
HMIS-D	Face shield, gloves, chemical apron	RT	Upper Respiratory Tract
HMIS-E	Safety glasses, gloves, dust respirator	Skin	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Lowest concentration that is toxic to a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours)
IG / IH	(IG = Ingested) / (IH = Inhaled - Vapors / Mists / Gas)	UEL	Upper Explosive Limit

Core Products Co., Inc.

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.

Print Date 3/1/2019

Supersedes Safety Data Sheet Dated

N/A

NOT TO BE SOLD IN THE STATE OF CALIFORNIA