



SAFETY DATA SHEET

PRODUCTS COMPANY

Core Floor Stripper

Revision Date 3/1/2019

SECTION – 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name Core Floor Stripper **Item** CFS
Product Use Wax Floor Stripper
Company Name Core Products Co., Inc. **Office** (800) 825-2673
 401 Industrial Rd **Fax** (903) 567-1346
 Canton TX 75103 **Web** www.coreproductsco.com
EMERGENCY TELEPHONE NUMBER CHEMTREC (800) 424-9300

SECTION – 2 HAZARDS INFORMATION

Physical Hazards CORROSIVE TO METALS-Category 1
Health Hazards EYES-Category 1; SKIN-Category 1B
Environmental CHRONIC-Aquatic Toxicity-Category 4

DANGER May be corrosive to metals
 Causes severe skin burns and eye damage
 May be harmful if swallowed, Do not get in eyes, on skin, or clothing, and avoid inhalation of mist, Do not smoke, eat or drink while using, Use personal protective equipment as required, Wash thoroughly with soap and water after handling, Avoid release into the environment

SECTION – 3 COMPOSITION INFORMATION (Exact percentage of the listed chemicals of composition has been withheld as a trade secret)

<u>CHEMICAL NAME</u>	<u>COMMON NAME AND SYNONYMS</u>	<u>CAS #</u>	<u>IMPURITIES</u>	<u>PERCENT</u>
Monoethanolamine	Ethanolamine, 2-aminoethanol	141-43-5	Water <15%	1 - 14%
Glycol Ether DB	Diethylene Glycol Monobutyl Ether	112-34-5		1 - 15%

SECTION – 4 FIRST AID MEASURES

EYE CONTACT Immediately flush eyes with cold water for at least 15 minutes while lifting upper and lower eyelids, Remove contact lenses if present and easy to do without injury to the eye and continue rinsing, If irritation persists obtain medical attention, preferably from an ophthalmologist

SKIN CONTACT Immediately wash contaminated skin with a nonabrasive soap and plenty of water for at least 15 minutes, Remove any contaminated clothing and wash before reuse, If irritation occurs or persists seek medical aid

INHALATION Move person to fresh air, if they have problem breathing, show signs of overexposure or feel unwell obtain medical attention

INGESTION DO NOT INDUCE VOMITING. If person is fully conscious, rinse mouth out and give one to two glasses of water to dilute and obtain immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the lungs

Aspiration Hazard Not applicable

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Causes serious eye irritation, discomfort, redness, burning, or pain
Skin Causes serious skin irritation, inflammation, redness, burning, drying, cracking, or possible corrosive burns
Inhalation Mist may cause mild irritation, to respiratory tract
Ingestion May be harmful if swallowed, Causes serious irritation, of the mouth, throat, esophagus, and may affect target organs

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye damage, redness, tearing, burning, severe pain, or corneal injury
Skin Can cause serious skin damage, redness, burning, deep ulcerations, or corrosive burns
Inhalation Mist may cause irritation, to mucus membranes or respiratory tract, Symptoms may include, coughing, wheezing, asthmatic breathing difficulties
Ingestion May be harmful if swallowed, Can cause corrosive burns, of the mouth, throat, esophagus, and gastrointestinal tract, May affect target organs, liver, kidneys

SECTION – 5 FIRE FIGHTING MEASURES

Extinguishing Media Not flammable: Use extinguishing media for surrounding fire
Hazardous Decomposition Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes
Reactive With Reactive with, strong oxidizing agents, strong reducing agents, strong acids, nitrates
Explosion Hazards Not applicable
Static Discharge Not applicable
Mechanical Impact Not applicable
Protective Equipment Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

SECTION – 6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures	Warn personnel of spill
Personal Precautions	Ventilate area, Avoid slipping on spilled product
Protective Equipment	Safety Glasses, Chemical Gloves and Rubber Boots
Containment	Use rags, towels, absorbent socks or pads to prevent spill from spreading, Prevent spill from entering the environment
Clean Up Procedures	Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water
Disposal	Dispose of material in accordance with all State and Federal Guidelines and Regulations

SECTION – 7 HANDLING AND STORAGE

Handling	Use appropriate safety equipment, and adequate ventilation, Avoid eye or skin contact and inhalation of mist, vapor or fumes, Wash thoroughly after handling, Avoid release to the environment, Triple rinse container before discarding
Storage	KEEP OUT OF REACH OF CHILDREN, Keep container closed when not in use, Store away from incompatible materials
Incompatible Materials	Incompatible with, strong oxidizing agents, strong reducing agents, strong acids, nitrates

SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**EXPOSURE LIMITS**

CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA PEL (TWA 8)	OSHA (CEIL)	Significant Exposure
Glycol Ether DB	10 ppm				EI
Monoethanolamine	3 ppm	6 ppm	3 ppm (8 mg/m ³)	6 ppm (15 mg/m ³)	EI,SI

PERSONAL PROTECTIVE EQUIPMENTChemical Safety Glasses,
Goggles or Face ShieldImpervious
Chemical GlovesEye Wash
(Recommended)**Ventilation**

General Ventilation

HMIS HAZARD RATINGS

Health	3
Flammability	0
Reactivity	0
Personal Protection	B

SECTION – 9 PHYSICAL AND CHEMICAL PROPERTIES

Flash Point	> 93.3°C (200°F) - TAG Closed Cup	Specific Gravity / Density	1.03
Flammable Limits	ND	pH (± 0.3)	11.0
Auto-Ignition Temp.	ND	Viscosity	ND
Physical State	Liquid	Freeze Point	0°C (32°F)
Appearance	Clear	Boiling Point	100°C (212°F)
Odor	Medium	Vapor Density (air=1)	ND
Odor Threshold	ND	Vapor Pressure (mm Hg)	ND
Solubility	100%	Evaporation Rate (nBuAc=1)	ND
Volatiles	98.6%	Partition Coefficient	ND
VOC	12.% @ Full Strength	Molecular Weight (g/mol)	ND
LVP-VOC	15.0% @ Full Strength	Decomposition Temperature	ND

SECTION – 10 STABILITY AND REACTIVITY

Reactivity (Specific Test Data)	None available
Chemical Stability	Stable at normal ambient temperature and pressure
Hazardous Polymerization	Will not occur
Conditions To Avoid	Incompatible materials
Incompatible Materials	Incompatible with, strong oxidizing agents, strong reducing agents, strong acids, nitrates
Thermal Decomposition	Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes

SECTION – 11 TOXICOLOGICAL INFORMATION**ROUTES OF EXPOSURE**

Eyes (Yes), Skin (Yes), Inhalation (Yes "Mist"), Ingestion (Yes)

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Causes serious eye irritation, discomfort, redness, burning, or pain
Skin Causes serious skin irritation, inflammation, redness, burning, drying, cracking, or possible corrosive burns
Inhalation Mist may cause mild irritation, to respiratory tract
Ingestion May be harmful if swallowed, Causes serious irritation, of the mouth, throat, esophagus, and may affect target organs

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye damage, redness, tearing, burning, severe pain, or corneal injury
Skin Can cause serious skin damage, redness, burning, deep ulcerations, or corrosive burns
Inhalation Mist may cause irritation, to mucus membranes or respiratory tract, Symptoms may include, coughing, wheezing, asthmatic breathing difficulties
Ingestion May be harmful if swallowed, Can cause corrosive burns, of the mouth, throat, esophagus, and gastrointestinal tract, May affect target organs, liver, kidneys

Acute Tox Calculated **Oral:** 6,997 mg/kg **Dermal:** 6,057 mg/kg **Inhaled:** 96.6 mg/L

Acute Tox Category Not applicable (Oral >5000 mg/kg), Not applicable (Dermal >5000 mg/kg), Not applicable (Inhaled >12.5 mg/L) Dust or Mist

Additional Info

Target Organs Kidneys, Liver, Eyes (Lens or cornea), Skin, Upper Respiratory Tract
Medical Conditions Preexisting, eye, skin, liver, kidney, respiratory, disorders may be aggravated by exposure to this product
Notes to Physician In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption

CARCINOGENIC – This product contains concentrations above 0.1% of the following:

<u>CHEMICAL NAME</u>	<u>NTP</u>	<u>ACGIH</u>	<u>IARC</u>	<u>GHS Category</u>
None Listed	NA	NA	NA	NA

MUTAGENIC AND REPRODUCTIVE EFFECTS – This product contains concentrations above 0.1% of the following:

<u>CHEMICAL NAME</u>	<u>Germ Cell Mutagenicity</u>	<u>Toxic to Reproduction</u>
None Listed	NA	NA

COMPONENTS ACUTE TOXICITY

<u>CHEMICAL NAME</u>	<u>Type</u>	<u>Form</u>	<u>Subject</u>	<u>Result Value</u>	<u>Exposure Time</u>	<u>GHS Category</u>
Glycol Ether DB	LD50	Oral	Rat	7,291 mg/kg		(>2000 mg/kg)
	LD50	Dermal	Rabbit	2,764 mg/kg		(>2000 mg/kg)
Ethanolamine	LD50	Oral	Rat	1,720 mg/kg		4 (>300, ≤2000 mg/kg)
	LD50	Dermal	Rabbit	1,015 mg/kg		4 (>1000, ≤2000 mg/kg)
	LC50	Inhaled	Estimate	11.59 mg/L	4 Hours (Vapor)	4 (>10, ≤20 mg/L)

SECTION – 12 ECOLOGICAL INFORMATION

<u>CHEMICAL NAME</u>	<u>Type</u>	<u>Subject</u>	<u>Subject Latin</u>	<u>Result Value</u>	<u>Exposure Time</u>	<u>GHS Category</u>
Glycol Ether DB	LC50	Fish	(Leuciscus idus)	1,300 mg/L	96 Hours	4 (>100 mg/L)
	EC50	Water Flea	(Daphnia magna)	>100 mg/L	48 Hours	4 (>100 mg/L)
Monoethanolamine	LC50	Fathead Minnow	(Pimephales promelas)	227 mg/L	96 Hours	4 (>100 mg/L)
	LC50	Water Flea	(Daphnia magna)	65 mg/L	48 Hours	3 (>10, ≤100 mg/L)

Presistence And Degradability This product is inherently biodegradable according to the OECD definition

Bioaccumulative Potential There is no evidence to suggest bioaccumulation will occur

Mobility In Soil This material is a partially mobile liquid


Other Adverse Effects May cause long lasting harmful effects to aquatic life

SECTION – 13 DISPOSAL CONSIDERATIONS**DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER****Dispose of any waste in accordance with all State and Federal Guidelines and Regulations****ENVIRONMENTAL FATE**

Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste

CONTAINER DISPOSAL - Triple rinse container then offer for recycling. If not available, puncture and dispose in a sanitary landfill

SECTION – 14 TRANSPORT INFORMATION**DOT CLASSIFICATION**

<u>UN Number</u>	<u>Proper Shipping Name</u> n.o.s. (Chemicals) or "Limits"							
Ltd Qty	"Limited Quantity"							
<u>Hazard Class</u>	<u>Packing Group</u>	<u>Label Codes</u>	<u>Reportable Quantity (lbs)</u>	<u>Response</u>	<u>Marine Pollutant</u>	<u>Hazard Label</u>	<u>Secondary</u>	
None	None	None	None	154	No			

Additional Info: Inner packaging not over 5.0 Liters (1.3 gallons)**SECTION – 15 REGULATORY INFORMATION****TSCA**

<u>CHEMICAL NAME</u>	<u>Sec 8(b) Inventory</u>	<u>Sec 8(d) Health And Safety</u>	<u>Sec 4(a) Chemical Test Rules</u>	<u>Sec 12(b) Export Notification</u>
Glycol Ether DB	Yes			
Ethanolamine	Yes			

REPORTABLE QUANTITIES

<u>CHEMICAL NAME</u>	<u>Extremely Hazardous</u> EPCRA TPQ Sec 302	<u>Reportable Quantity</u> EPCRA RQ Sec 304	<u>Reportable Quantity</u> CERCLA RQ Sec 103	<u>Emission Reporting</u> TRI Sec 313	<u>RCRA Code</u>	<u>RMP TQ Sec 112r</u>
Glycol Ethers				Yes		

SARA

<u>CHEMICAL NAME</u>	<u>Section 311</u>			<u>Section 311 / 312 Hazards</u>		
	<u>Hazardous Chemical</u>	<u>Acute</u>	<u>Chronic</u>	<u>Flammable</u>	<u>Pressure</u>	<u>Reactive</u>
Glycol Ether DB	Yes	Yes	Yes			
Monoethanolamine	Yes	Yes	Yes			

RIGHT TO KNOW

<u>CHEMICAL NAME</u>	<u>STATE</u>												
	<u>CA</u>	<u>CT</u>	<u>FL</u>	<u>IL</u>	<u>LA</u>	<u>NJ</u>	<u>NY</u>	<u>PA</u>	<u>MI</u>	<u>MN</u>	<u>MA</u>	<u>RI</u>	<u>WI</u>
Glycol Ether DB							Yes	Yes					
Ethanolamine		Yes		Yes		Yes		Yes		Yes	Yes	Yes	

CALIFORNIA

<u>CHEMICAL NAME</u>	<u>CAS #</u>	<u>WARNING! This product contains chemicals known to the state of California to cause:</u>			
		<u>Birth Defects</u>	<u>Reproductive Harm</u>	<u>Carcinogen</u>	<u>Developmental</u>
None Listed					

CLEAN AIR WATER ACTS

<u>CHEMICAL NAME</u>	<u>CAS #</u>	<u>Clean Air Acts</u>			<u>Clean Water Acts</u>		
		<u>HAP</u>	<u>Ozone Class 1</u>	<u>Ozone Class 2</u>	<u>HS</u>	<u>PP</u>	<u>TP</u>
None Listed							

INTERNATIONAL REGULATIONS – The components of this product are listed on the chemical inventories of the following countries:

<u>CHEMICAL NAME</u>	<u>Australia</u>	<u>Canada</u>	<u>Europe (EINECS)</u>	<u>Japan</u>	<u>Korea</u>	<u>UK</u>
Glycol Ether DB	Yes	Yes	Yes	Yes	Yes	Yes

WHMIS Classification

<u>CHEMICAL NAME</u>	<u>DSL</u>	<u>Class Description</u>
Glycol Ether DB	Yes	D-2B Materials Causing Other Toxic Effects; Toxic Material
Monoethanolamine	Yes	E Corrosive Material

SECTION – 16 OTHER INFORMATION**SDS LEGEND DESCRIPTION**

ACGIH	American Conference of Governmental Industrial Hygienists	LC50	A concentration that is lethal to 50% of a given species in a given time
CAS	Chemical Abstracts Service Registry	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CEIL	Ceiling Limit (15 minutes)	LEL	Lower Explosive Limit
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	LD	Liver Damage
CI	Cochlear Impairment	NA	Not Applicable
CNS	Central Nervous System	ND	Not Determined
EC50	Concentration of a chemical that gives half-maximal response	NFPA	National Fire Protection Association
EPA	Environmental Protection Agency	NIOSH	National Institute for Occupational Safety and Health
Eye	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)	NE	Not Established
FBG	Full Bunker Gear	NTP	National Toxicology Program
GHS	Globally Harmonized System	OSHA	Occupational Safety and Health Administration
HAP	California Hazardous air pollutant Clean Air Act	PEL	Permissible Exposure Limit (OSHA)
HMIS-A	Safety Glasses	PNS	Peripheral Nervous System
HMIS-B	Safety glasses, gloves	PP	California Priority Pollutant under the Clean Water Act
HMIS-C	Safety glasses, gloves, chemical apron	REL	Recommended exposure limit (NIOSH)
HMIS-D	Face shield, gloves, chemical apron	RT	Upper Respiratory Tract
HMIS-E	Safety glasses, gloves, dust respirator	Skin	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Lowest concentration that is toxic to a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours)
KD	Kidney Damage (nephropathy)	UEL	Upper Explosive Limit

Core Products Co., Inc.

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.

Print Date 3/1/2019

NOT TO BE SOLD IN THE STATE OF CALIFORNIA