


**SECTION – 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

**Product Name** Fast Dry Upholstery Shampoo **Item** FDUS - Ready  
**Product Use** Upholstery Shampoo  
**Company Name** Core Products Co., Inc. **Office** (800) 825-2673  
 401 Industrial Rd **Fax** (903) 567-1346  
 Canton TX 75103 **Web** [www.coreproductsco.com](http://www.coreproductsco.com)  
**EMERGENCY TELEPHONE NUMBER CHEMTREC (800) 424-9300**

**SECTION – 2 HAZARDS INFORMATION**

**Physical Hazards** FLAMMABLE LIQUIDS-Category 3  
**Health Hazards** EYES-Category 2A; SKIN-Category 2; STOT SINGLE EXPOSURE-Category 3  
**Environmental** ACUTE-Aquatic Toxicity-Category 3; CHRONIC-Aquatic Toxicity-Category 3



Irritant (skin and eye)  
Respiratory Tract Irritant

**WARNING** Flammable liquid and vapor, (Liquid does not sustain combustion, Not Regulated by DOT)  
**WARNING** Causes serious eye irritation, Causes skin irritation, May cause drowsiness or dizziness  
 May be harmful if swallowed, Do not get in eyes, on skin, or clothing, and avoid inhalation of mist or vapor, Do not smoke, eat or drink while using, Use personal protective equipment as required, Wash thoroughly after handling, Avoid release into the environment

**SECTION – 3 COMPOSITION INFORMATION** (Exact percentage of the listed chemicals of composition has been withheld as a trade secret)

CHEMICAL NAME	COMMON NAME AND SYNONYMS	CAS #	IMPURITIES	PERCENT
Sodium Lauryl Sulfate		151-21-3		1 - 10%
Isopropyl Alcohol	Isopropanol, 2-propanol	67-63-0	Water <1%	5 - 12%

**SECTION – 4 FIRST AID MEASURES**

**EYE CONTACT** Immediately flush eyes with cold water for several minutes while lifting upper and lower eyelids, Remove contact lenses if present and easy to do without injury to the eye and continue rinsing, If irritation persists seek medical aid  
**SKIN CONTACT** Wash contaminated skin with plenty of water, Remove any contaminated clothing and wash before reuse, If irritation occurs or persists seek medical aid  
**INHALATION** Move person to fresh air, if they have problem breathing, show signs of overexposure or feel unwell obtain medical attention  
**INGESTION** DO NOT INDUCE VOMITING. If person is fully conscious, rinse mouth out and give one to two glasses of water to dilute and obtain immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the lungs  
**Aspiration Hazard** Not applicable

**ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE**

**Eyes** Can cause serious eye irritation, discomfort, redness, burning sensation  
**Skin** Can cause skin irritation, redness, drying or cracking  
**Inhalation** Mist or vapor may cause irritation, to respiratory tract  
**Ingestion** May be harmful if swallowed, May cause irritation, of the mouth, and throat

**CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE**

**Eyes** Causes serious eye irritation, redness, tearing, burning, or pain  
**Skin** Causes skin irritation, defatting of the skin which may lead to dermatitis  
**Inhalation** Vapor or fumes may cause, dizziness or drowsiness  
**Ingestion** May be harmful if swallowed, May cause irritation, of the mouth, and throat, May affect target organs, liver, kidneys, respiratory system, central nervous system

**SECTION – 5 FIRE FIGHTING MEASURES**

<b>Extinguishing Media</b>	Does not sustain combustion, Use extinguishing media for surrounding fire
<b>Hazardous Decomposition</b>	Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes
<b>Reactive With</b>	Reactive with, strong oxidizing agents, strong acids
<b>Explosion Hazards</b>	May flash if ignited in an enclosed area
<b>Static Discharge</b>	Not expected to ignite product
<b>Mechanical Impact</b>	Not applicable
<b>Protective Equipment</b>	Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

**SECTION – 6 ACCIDENTAL RELEASE MEASURES**

<b>Emergency Procedures</b>	Warn personnel to move away and stay upwind from spill
<b>Personal Precautions</b>	Eliminate ignition sources and ventilate area, Avoid slipping on spilled product
<b>Protective Equipment</b>	Safety Glasses, Gloves
<b>Containment</b>	Use rags, towels, absorbent socks or pads to prevent spill from spreading, Prevent spill from entering the environment
<b>Clean Up Procedures</b>	Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water
<b>Disposal</b>	Dispose of material in accordance with all State and Federal Guidelines and Regulations

**SECTION – 7 HANDLING AND STORAGE**

<b>Handling</b>	Use appropriate safety equipment, Avoid eye and skin contact, Avoid inhalation of mist or vapors, Do not smoke, eat or drink while using, Wash thoroughly after handling, Avoid release to the environment, Triple rinse container before discarding
<b>Storage</b>	KEEP OUT OF REACH OF CHILDREN, Keep container closed when not in use, Store away from incompatible materials
<b>Incompatible Materials</b>	Incompatible with, strong oxidizing agents, strong acids

**SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION****EXPOSURE LIMITS**

CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA PEL (TWA 8)	OSHA (CEIL)	Significant Exposure
Isopropyl Alcohol	200 ppm (A4)	400 ppm	400 ppm	500 ppm (1225 mg/m <sup>3</sup> )	CNS
Sodium Lauryl Sulfate	None Established				

**PERSONAL PROTECTIVE EQUIPMENT**

Chemical Safety Glasses, Goggles or Face Shield



Impervious Chemical Gloves

**Ventilation**

General Ventilation

**HMIS HAZARD RATINGS**

Health	2
Flammability	2
Reactivity	0
Personal Protection	B

**SECTION – 9 PHYSICAL AND CHEMICAL PROPERTIES**

<b>Flash Point</b>	~ 37.8°C	<b>Specific Gravity / Density</b>	1.052 -1.055
<b>Flammable Limits</b>	Does not sustain combustion (ASTM D4206)	<b>pH (± 0.3)</b>	7.0 - 8.5
<b>Auto-Ignition Temp.</b>	ND	<b>Viscosity</b>	ND
<b>Physical State</b>	Liquid	<b>Freeze Point</b>	0°C (32°F)
<b>Appearance</b>	Clear	<b>Boiling Point</b>	100°C (212°F)
<b>Odor</b>	Fresh	<b>Vapor Density (air=1)</b>	ND
<b>Odor Threshold</b>	ND	<b>Vapor Pressure (mm Hg)</b>	ND
<b>Solubility</b>	100%	<b>Evaporation Rate (nBuAc=1)</b>	ND
<b>Volatiles</b>	< 93.0%	<b>Partition Coefficient</b>	ND
<b>VOC</b>	< 1.0% @ 1:11 Dilution	<b>Molecular Weight (g/mol)</b>	~ 75.93
<b>LVP-VOC</b>	0.0%	<b>Decomposition Temperature</b>	ND

**SECTION – 10 STABILITY AND REACTIVITY**

Reactivity (Specific Test Data)	None available
Chemical Stability	Stable at normal ambient temperature and pressure
Hazardous Polymerization	Will not occur
Conditions To Avoid	Incompatible materials
Incompatible Materials	Incompatible with, strong oxidizing agents, strong acids
Thermal Decomposition	Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes

**SECTION – 11 TOXICOLOGICAL INFORMATION****ROUTES OF EXPOSURE**

Eyes (Yes), Skin (Yes), Ingestion (Yes), Inhalation (Yes "Mist or Vapors")

**ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE**

Eyes	Can cause serious eye irritation, discomfort, redness, burning sensation
Skin	Can cause skin irritation, redness, drying or cracking
Inhalation	Mist or vapor may cause irritation, to respiratory tract
Ingestion	May be harmful if swallowed, May cause irritation, of the mouth, and throat

**CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE**

Eyes	Causes serious eye irritation, redness, tearing, burning, or pain
Skin	Causes skin irritation, defatting of the skin which may lead to dermatitis
Inhalation	Vapor or fumes may cause, dizziness or drowsiness
Ingestion	May be harmful if swallowed, May cause irritation, of the mouth, and throat, May affect target organs, liver, kidneys, respiratory system, central nervous system

Acute Tox Calculated                      **Oral:**                      6,076 mg/kg                      **Dermal:**                      9,975 mg/kg                      **Inhaled:**                      > 50.0 mg/L

Acute Tox Category    Not applicable (Oral >5000 mg/kg), Not applicable (Dermal >5000 mg/kg), Not applicable (Inhaled >50 mg/L) Vapors

**Additional Info**

Target Organs	Kidneys, Liver, Eyes (Lens or cornea), Skin, Central Nervous System, Upper Respiratory Tract
Medical Conditions	Preexisting, eye, skin, central nervous system, respiratory, disorders may be aggravated by exposure to this product
Notes to Physician	In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption

**CARCINOGENIC – This product contains concentrations above 0.1% of the following:**

<u>CHEMICAL NAME</u>	<u>NTP</u>	<u>ACGIH</u>	<u>IARC</u>	<u>GHS Category</u>
None Listed	NA	NA	NA	NA

**MUTAGENIC AND REPRODUCTIVE EFFECTS – This product contains concentrations above 0.1% of the following:**

<u>CHEMICAL NAME</u>	<u>Germ Cell Mutagenicity</u>	<u>Toxic to Reproduction</u>
None Listed	NA	NA

**COMPONENTS ACUTE TOXICITY**

<u>CHEMICAL NAME</u>	<u>Type</u>	<u>Form</u>	<u>Subject</u>	<u>Result Value</u>	<u>Exposure Time</u>	<u>GHS Category</u>
Isopropyl Alcohol	LD50	Oral	Rat	5,045 mg/kg		(>2000 mg/kg)
	LC50	Inhalation	Rat	78.6 mg/L	4 Hours (Vapor)	(>20 mg/L)
	LD50	Dermal	Rabbit	12,870 mg/kg		(>2000 mg/kg)
Sodium Laurel Sulfate	LD50	Oral	Rat	1,200 mg/kg		4 (>300, ≤2000 mg/kg)
	LD50	Dermal	Rat	> 2,000 mg/kg		(>2000 mg/kg)

**SECTION – 12 ECOLOGICAL INFORMATION**

<u>CHEMICAL NAME</u>	<u>Type</u>	<u>Subject</u>	<u>Subject Latin</u>	<u>Result Value</u>	<u>Exposure Time</u>	<u>GHS Category</u>
Isopropyl Alcohol	LC50	Fish	(Leuciscus idus)	>100 mg/L	96 Hours	4 (>100 mg/L)
	LC50	Fathead Minnow	(Pimephales promelas)	9,640 mg/L	96 Hours	4 (>100 mg/L)
	EC50	Water Flea	(Daphnia magna)	5,102 mg/L	24 Hours	4 (>100 mg/L)
Sodium Laurel Sulfate	LC50	Fiah	(Gambusia affinis)	3.6 mg/L	96 Hours	2 (>1, ≤10 mg/L)

Presistence And Degradability	This product is readily biodegradable according to the OECD definition
Bioaccumulative Potential	There is no evidence to suggest bioaccumulation will occur
Mobility In Soil	This material is a partially mobile liquid
Other Adverse Effects	Harmful to aquatic life with long lasting effects

**SECTION – 13 DISPOSAL CONSIDERATIONS****DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER****Dispose of any waste in accordance with all State and Federal Guidelines and Regulations****ENVIRONMENTAL FATE**

Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste

CONTAINER DISPOSAL - Triple rinse container then offer for recycling. If not available, puncture and dispose in a sanitary landfill

**SECTION – 14 TRANSPORT INFORMATION****DOT CLASSIFICATION****UN Number****Proper Shipping Name** n.o.s. ( Chemicals ) or "Limits"

Not Regulated Non Hazardous – Compounds Cleaning Liquid

Hazard Class	Packing Group	Label Codes	Reportable Quantity (lbs)	Response	Marine Pollutant	Hazard Label	Secondary
None	None	None	None	154	No		

**Additional Info:****SECTION – 15 REGULATORY INFORMATION****TSCA**

CHEMICAL NAME	Sec 8(b) Inventory	Sec 8(d) Health And Safety	Sec 4(a) Chemical Test Rules	Sec 12(b) Export Notification
Sodium Lauryl Sulfate	Yes			
Isopropyl Alcohol	Yes	Yes		

**REPORTABLE QUANTITIES**

CHEMICAL NAME	Extremely Hazardous		Reportable Quantity	Emission Reporting		
	EPCRA TPQ Sec 302	EPCRA RQ Sec 304	CERCLA RQ Sec 103	TRI Sec 313	RCRA Code	RMP TQ Sec 112r
2-Propanol				Yes		

**SARA**

CHEMICAL NAME	Section 311			Section 311 / 312 Hazards		
	Hazardous Chemical	Acute	Chronic	Flammable	Pressure	Reactive
Sodium Laurel Sulfate	Yes					
Isopropyl Alcohol	Yes	Yes	Yes	Yes		

**RIGHT TO KNOW**

CHEMICAL NAME	STATE												
	CA	CT	FL	IL	LA	NJ	NY	PA	MI	MN	MA	RI	WI
Isopropyl Alcohol			Yes			Yes		Yes		Yes	Yes	Yes	

**CALIFORNIA**

CHEMICAL NAME	CAS #	WARNING! This product contains chemicals known to the state of California to cause:			
		Birth Defects	Reproductive Harm	Carcinogen	Developmental
None Listed					

**CLEAN AIR WATER ACTS**

CHEMICAL NAME	CAS #	Clean Air Acts			Clean Water Acts		
		HAP	Ozone Class 1	Ozone Class 2	HS	PP	TP
None Listed							

**INTERNATIONAL REGULATIONS** – The components of this product are listed on the chemical inventories of the following countries:

CHEMICAL NAME	Australia	Canada	Europe (EINECS)	Japan	Korea	UK
Sodium Laurel Sulfate	Yes	Yes	Yes	Yes	Yes	Yes
Isopropyl Alcohol	Yes	Yes	Yes	Yes	Yes	Yes

**WHMIS Classification**

CHEMICAL NAME	DSL	Class	Description
Isopropyl Alcohol, Sodium Lauryl Sulfate	Yes	D-2B	Materials Causing Other Toxic Effects; Toxic Material
		B-3	Combustible Liquids; Flashpoint $\geq 37.8^{\circ}\text{C}$ ( $100^{\circ}\text{F}$ ) $\leq 93.3^{\circ}\text{C}$ ( $200^{\circ}\text{F}$ )

**SECTION – 16 OTHER INFORMATION****SDS LEGEND DESCRIPTION**

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists	<b>LC50</b>	A concentration that is lethal to 50% of a given species in a given time
<b>CAS</b>	Chemical Abstracts Service Registry	<b>LD50</b>	Dose that is lethal to 50% of a given species by a given route of exposure
<b>CEIL</b>	Ceiling Limit (15 minutes)	<b>LEL</b>	Lower Explosive Limit
<b>CERCL</b>	Comprehensive Environmental Response, Compensation, and Liability Act	<b>LD</b>	Liver Damage
<b>CI</b>	Cochlear Impairment	<b>NA</b>	Not Applicable
<b>CNS</b>	Central Nervous System	<b>ND</b>	Not Determined
<b>EC50</b>	Concentration of a chemical that gives half-maximal response	<b>NFPA</b>	National Fire Protection Association
<b>EPA</b>	Environmental Protection Agency	<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>Eye</b>	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)	<b>NE</b>	Not Established
<b>FBG</b>	Full Bunker Gear	<b>NTP</b>	National Toxicology Program
<b>GHS</b>	Globally Harmonized System	<b>OSHA</b>	Occupational Safety and Health Administration
<b>HAP</b>	California Hazardous air pollutant Clean Air Act	<b>PEL</b>	Permissible Exposure Limit (OSHA)
<b>HMIS-A</b>	Safety Glasses	<b>PNS</b>	Peripheral Nervous System
<b>HMIS-B</b>	Safety glasses, gloves	<b>PP</b>	California Priority Pollutant under the Clean Water Act
<b>HMIS-C</b>	Safety glasses, gloves, chemical apron	<b>REL</b>	Recommended exposure limit (NIOSH)
<b>HMIS-D</b>	Face shield, gloves, chemical apron	<b>RT</b>	Upper Respiratory Tract
<b>HMIS-E</b>	Safety glasses, gloves, dust respirator	<b>Skin</b>	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
<b>HMIS-F</b>	Safety glasses, gloves, chemical apron, dust respirator	<b>SARA</b>	Superfund Amendments and Reauthorization Act
<b>HMIS-G</b>	Safety glasses, gloves, vapor respirator	<b>STEL</b>	Short Term Exposure Limit (15 minutes)
<b>HMIS-H</b>	Splash goggles, gloves, chemical apron, vapor respirator	<b>TC Lo</b>	Lowest concentration that is toxic to a given species in a given time
<b>HMIS-I</b>	Safety glasses, gloves, dust and vapor respirator	<b>TD Lo</b>	Lowest dose that is toxic to a given species
<b>HMIS-J</b>	Splash goggles, gloves, chemical apron, dust and vapor respirator	<b>TLV</b>	Threshold Limit Value (ACGIH)
<b>HMIS-K</b>	Air line hood or mask, gloves, full chemical suit, boots	<b>TP</b>	California Toxic Pollutant under the Clean Water Act
<b>HMIS-X</b>	Ask Supervisor	<b>TSCA</b>	Toxic Substances Control Act
<b>HS</b>	California Hazardous Substance under the Clean Water Act	<b>TWA</b>	Time Weighted Average (8 hours)
<b>KD</b>	Kidney Damage (nephropathy)	<b>UEL</b>	Upper Explosive Limit

Core Products Co., Inc.

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.

Print Date 2/6/2016

Supersedes Safety Data Sheet Dated

NOT TO BE SOLD IN THE STATE OF CALIFORNIA