

# SAFFTY DATA SHFFT

Green Logic Glass & Surface Cleaner Revision Date 2/23/2016

SECTION – 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name Green Logic Glass & Surface Cleaner Item GLGC- Ready

Product Use Glass/Hard Surface Cleaner

Company Name Core Products Co., Inc. Office (800) 825-2673

401 Industrial Rd Fax (903) 567-1346

Canton TX 75103 Web www.coreproductsco.com

EMERGENCY TELEPHONE NUMBER CHEMTREC (800) 424-9300

SECTION – 2 HAZARDS INFORMATION

Health Hazards EYES-Category 2B

WARNING Causes eye irritation

May be harmful if swallowed, Do not get in eyes, and avoid inhalation of mist, Use personal protective equipment as

required, Avoid release into the environment

SECTION - 3 COMPOSITION INFORMATION (Exact percentage of the listed chemicals of composition has been withheld as a trade secret)

<u>CHEMICAL NAME</u> <u>COMMON NAME AND SYNONYMS</u> <u>CAS # IMPURITIES</u> <u>PERCENT</u>

None Listed Contains no ingredients classifiable by GHS criteria

SECTION – 4 FIRST AID MEASURES

**EYE CONTACT** Flush eyes with cold water while lifting upper and lower eyelids, Remove contact lenses if present and easy to do

without injury to the eye and continue rinsing, If irritation persists seek medical aid

SKIN CONTACT Wash with water INHALATION Not Applicable

INGESTION DO NOT INDUCE VOMITING. If person is fully conscious, rinse mouth out and give one to two glasses of water to

dilute and obtain immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the

lungs

Aspiration Hazard Not applicable

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause eye irritation, discomfort, redness

**Skin** May cause mild skin irritation

Inhalation Not applicable

Ingestion May be harmful if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes eye irritation, discomfort, redness, tearing

SkinMay cause mild skin irritationInhalationSpray mist may cause mild irritation

Ingestion May be harmful if swallowed, Symptoms may include, vomiting, abdominal pain, nausea or diarrhea

SECTION – 5 FIRE FIGHTING MEASURES

**Extinguishing Media** Not flammable: Use extinguishing media for surrounding fire

Hazardous Decomposition Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, nitrogen oxides, and other

toxic fumes

Reactive With Reactive with, strong oxidizing agents

Explosion HazardsNot applicableStatic DischargeNot applicableMechanical ImpactNot applicable

Protective Equipment Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

#### 2/23/2016

#### SECTION – 6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures Warn personnel of spill

Personal Precautions Avoid slipping on spilled product

Protective Equipment Safety Glasses, Gloves

**Containment** Use rags or towels to prevent spill from spreading

Clean Up Procedures

Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water

Disposal

Dispose of material in accordance with all State and Federal Guidelines and Regulations

### SECTION – 7 HANDLING AND STORAGE

**Handling** Use appropriate safety equipment, Avoid eye and prolonged skin contact, Avoid inhalation of mist, Wash

thoroughly after handling, Avoid release to the environment, Triple rinse container before discarding

Storage KEEP OUT OF REACH OF CHILDREN, Keep container closed when not in use, Store away from incompatible

materials

Incompatible Materials Incompatible with, strong oxidizing agents

### SECTION - 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS					Significant
CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA PEL (TWA 8)	OSHA (CEIL)	Exposure

None Listed

#### PERSONAL PROTECTIVE EQUIPMENT





Chemical Safety Glasses, Goggles or Face Shield

Impervious Chemical Gloves



General Ventilation

#### HMIS HAZARD RATINGS

	117 1111100
Health	1
Flammability	0
Reactivity	0
<b>Personal Protection</b>	В

### SECTION - 9 PHYSICAL AND CHEMICAL PROPERTIES

Flash Point	> 93.3°C (200°F) - TAG Closed Cup	Specific Gravity / Density	0.970
Flammable Limits	ND	pH (± 0.3)	7.5
Auto-Ignition Temp.	ND	Viscosity	ND
Physical State	Liquid	Freeze Point	0°C (32°F)
Appearance	Clear	<b>Boiling Point</b>	100°C (212°F)
Odor	Mild	Vapor Density (air=1)	ND
Odor Threshold	ND	Vapor Pressure (mm Hg)	ND
Solubility	100%	Evaporation Rate (nBuAc=1)	ND
Volatiles	< 99.5%	Partition Coefficient	ND
VOC	0.11%	Molecular Weight (g/mol)	ND
LVP-VOC	0.0%	<b>Decomposition Temperature</b>	ND

### SECTION – 10 STABILITY AND REACTIVITY

Reactivity (Specific Test Data) None available

Chemical Stability Stable under normal ambient and anticipated conditions of use

Hazardous Polymerization Will not occur

Conditions To Avoid Incompatible materials

Incompatible Materials Incompatible with, strong oxidizing agents

Thermal Decomposition Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, nitrogen oxides, and other

toxic fumes

#### SECTION – 11 TOXICOLOGICAL INFORMATION

### **ROUTES OF EXPOSURE**

Eyes (Yes), Skin (Yes), Inhalation (Yes "Mist"), Ingestion (Yes)

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause eye irritation, discomfort, redness

**Skin** May cause mild skin irritation

Inhalation Not applicable

Ingestion May be harmful if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes eye irritation, discomfort, redness, tearing

Skin May cause mild skin irritation

Inhalation Spray mist may cause mild irritation

Ingestion May be harmful if swallowed, Symptoms may include, vomiting, abdominal pain, nausea or diarrhea

Acute Tox Calculated Oral: > 5,000 mg/kg Dermal: > 5,000 mg/kg Inhaled: > 50.0 mg/L

Acute Tox Category Not applicable (Oral > 5000 mg/kg), Not applicable (Dermal > 5000 mg/kg), Not applicable (Inhaled > 12.5 mg/L) Dust or Mist

**Additional Info** 

Target Organs Eyes (Lens or cornea)

Medical Conditions No medical conditions known to be aggravated by the use of this product

Notes to Physician Treat symptoms

CARCINOGENIC - This product contains concentrations above 0.1% of the following:

CHEMICAL NAME NTP ACGIH IARC GHS Category

None Listed NA NA NA NA

MUTAGENIC AND REPRODUCTIVE EFFECTS - This product contains concentrations above 0.1% of the following:

CHEMICAL NAME Germ Cell Mutagenicity Toxic to Reproduction

None Listed NA NA

**COMPONENTS ACUTE TOXICITY** 

CHEMICAL NAME Type Form Subject Result Value Exposure Time GHS Category

None Listed

SECTION – 12 ECOLOGICAL INFORMATION

CHEMICAL NAME Type Subject Subject Latin Result Value Exposure Time GHS Category

None Listed

Presistence And Degradability This product is readily biodegradable according to the OECD definition

Bioaccumulative Potential There is no evidence to suggest bioaccumulation will occur

Mobility In Soil This material is a partially mobile liquid

Other Adverse Effects May be harmful to aquatic life

#### SECTION – 13 DISPOSAL CONSIDERATIONS

DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

## **ENVIRONMENTAL FATE**

Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste

CONTAINER DISPOSAL - Triple rinse container then offer for recycling. If not available, puncture and dispose in a sanitary landfill

### SECTION – 14 TRANSPORT INFORMATION

### **DOT CLASSIFICATION**

<u>UN Number</u> <u>Proper Shipping Name</u> <u>n.o.s. (Chemicals ) or "Limits"</u>

Not Regulated Non Hazardous – Compounds Cleaning Liquid

Hazard Class Packing Group Label Codes Reportable Quantity (lbs) Response Marine Pollutant Hazard Label Secondary

None None None None 154 No

Additional Info:

rage 4 or 4			G	i eeii rof	Jic Glas	33 G J	urrace Cie	ancı			170	evision Da	ıc	2/23/2010
SECTION – 15 R	REGULATORY INF	ORMATIC	NC											
<u>TSCA</u>														
CHEMICAL NAME		Sec 8(b)	Inventory	Se	ec 8(d) H	ealth A	nd Safety	Se	c 4(a) Chen	nical Test R	Rules	Sec 12(b	) Expor	t Notification
None Listed														
REPORTABLE QUANT	<u> </u>		Extremely	Hazardous	5		Reportable	Quantity	Emission	Reporting				
CHEMICAL NAME		EPCRA TP	Q Sec 302	EPCRA	RQ Sec	304	CERCLA RO	Sec 103	TRI S	ec 313	RC	RA Code	RMF	TQ Sec 112
None Listed														
SARA		Se	ection 311	i				Section	on 311 / 3	12 Hazard	ls			
CHEMICAL NAME		Hazard	dous Che	mical		Acute		Chronic	Fla	mmable	1	Pressure		Reactive
None Listed														
RIGHT TO KNOW							STATE							
CHEMICAL NAME		CA	СТ	FL	IL	LA	NJ	NY	PA	MI	MN	MA	RI	WI
None Listed														
CALIFORNIA				WARNII	NG! Thi	s proc	duct conta	ins chem	icals kno	wn to the	state o	of Californ	ia to c	ause:
CHEMICAL NAME		CAS#		Birth De	efects		Reprodu	ctive Har	m	Carcino	gen	D	evelo	omental
None Listed														
CLEAN AIR WATER A	<u>ICTS</u>	Clean Air Acts Clean Water Acts												
CHEMICAL NAME		CAS#		HAP		Ozon	ne Class 1	Ozon	e Class 2	: F	łS	PP		TP
None Listed														
INTERNATIONAL REG	GULATIONS - 7	The compo	nents of t	his produ	uct are I	isted o	n the chen	nical inver	ntories of t	he followii	ng cour	ntries:		
CHEMICAL NAME		Austi	alia	Ca	nada	E	urope (EIN	NECS)	Japai	n	K	orea		UK
None Listed														
WHMIS Classification	-													
CHEMICAL NAME			DSL	Class	Descr	iption								
None Listed														

#### SECTION - 16 **OTHER INFORMATION**

<u>SDS</u>	LEGEND DESCRIPTION		
<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists	LC50	A concentration that is lethal to 50% of a given species in a given time
CAS	Chemical Abstracts Service Registry	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CEIL	Ceiling Limit (15 minutes)	LEL	Lower Explosive Limit
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	LD	Liver Damage
CI	Cochlear Impairment	NA	Not Applicable
CNS	Central Nervous System	ND	Not Determined
EC50	Concentration of a chemical that gives half-maximal response	NFPA	National Fire Protection Association
EPA	Environmental Protection Agency	NIOSH	National Institute for Occupational Safety and Health
Eye	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)	NE	Not Established
FBG	Full Bunker Gear	NTP	National Toxicology Program
GHS	Globally Harmonized System	OSHA	Occupational Safety and Health Administration
HAP	California Hazardous air pollutant Clean Air Act	PEL	Permissible Exposure Limit (OSHA)
HMIS-A	Safety Glasses	PNS	Peripheral Nervous System
HMIS-B	Safety glasses, gloves	PP	California Priority Pollutant under the Clean Water Act
HMIS-C	Safety glasses, gloves, chemical apron	REL	Recommended exposure limit (NIOSH)
HMIS-D	Face shield, gloves, chemical apron	RT	Upper Respiratory Tract
HMIS-E	Safety glasses, gloves, dust respirator	Skin	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Lowest concentration that is toxic to a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours)
KD	Kidney Damage (nephropathy)	UEL	Upper Explosive Limit

#### Core Products Co., Inc.

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.