

SECTION – 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name Green Logic Pet Stain & Odor Remover **Item** GLPSO-Ready
Product Use Carpet Cleaner
Company Name Core Products Co., Inc. **Office** (800) 825-2673
 401 Industrial Rd **Fax** (903) 567-1346
 Canton TX 75103 **Web** www.coreproductsco.com
EMERGENCY TELEPHONE NUMBER CHEMTREC (800) 424-9300

SECTION – 2 HAZARDS INFORMATION

Health Hazards EYES-Category 2A; SKIN-Category 2; STOT SINGLE EXPOSURE-Category 3; SKIN SENSITIZER-Category 1
Environmental CHRONIC-Aquatic Toxicity-Category 4



Irritant (skin and eye)
 Respiratory Tract Irritant
 Skin Sensitizer

WARNING Causes serious eye irritation, Causes skin irritation, May cause an allergic skin reaction, May cause respiratory irritation
 May be harmful if swallowed, Avoid eye or skin contact, and inhalation of mist, Use personal protective equipment as required, Wash thoroughly after handling, Avoid release into the environment

SECTION – 3 COMPOSITION INFORMATION (Exact percentage of the listed chemicals of composition has been withheld as a trade secret)

<u>CHEMICAL NAME</u>	<u>COMMON NAME AND SYNONYMS</u>	<u>CAS #</u>	<u>IMPURITIES</u>	<u>PERCENT</u>
Hydrogen Peroxide		7722-84-1		1.94%

SECTION – 4 FIRST AID MEASURES

EYE CONTACT Immediately flush eyes with cold water for at least 15 minutes while lifting upper and lower eyelids, Remove contact lenses if present and easy to do without injury to the eye and continue rinsing, If irritation persists seek medical aid
SKIN CONTACT Wash contaminated skin with plenty of water, Remove any contaminated clothing and wash before reuse, If irritation occurs or persists seek medical aid
INHALATION Move person to fresh air, if they have problem breathing, show signs of overexposure or feel unwell obtain medical attention
INGESTION DO NOT INDUCE VOMITING. If person is fully conscious, rinse mouth out and give one to two glasses of water to dilute and obtain immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the lungs

Aspiration Hazard Not applicable

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause serious eye irritation, by direct product eye contact
Skin Can cause skin irritation, redness, drying, cracking, or allergic skin reaction
Inhalation Spray mist may cause mild irritation, to respiratory tract
Ingestion May be harmful if swallowed, Minimal acute toxicity if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye irritation, redness, tearing, or pain, by direct product eye contact
Skin Causes skin irritation, defatting of the skin which may lead to dermatitis, or allergic skin reaction
Inhalation Spray mist may cause irritation, to mucus membranes or respiratory tract
Ingestion May be harmful if swallowed, May cause irritation, of the mouth, throat, and esophagus, Symptoms may include, vomiting, abdominal pain, nausea or diarrhea

SECTION – 5 FIRE FIGHTING MEASURES

Extinguishing Media Not flammable: Use extinguishing media for surrounding fire
Hazardous Decomposition Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, nitrogen oxides, and other toxic fumes
Reactive With Reactive with, strong oxidizing agents, strong acids, powdered metals, zinc, iron, copper, nickel, brass
Explosion Hazards Not applicable
Static Discharge Not applicable
Mechanical Impact Not applicable
Protective Equipment Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

SECTION – 6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures	Warn personnel of spill
Personal Precautions	Avoid slipping on spilled product
Protective Equipment	Safety Glasses, Gloves
Containment	Use rags, towels, absorbent socks or pads to prevent spill from spreading
Clean Up Procedures	Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water
Disposal	Dispose of material in accordance with all State and Federal Guidelines and Regulations

SECTION – 7 HANDLING AND STORAGE

Handling	Keep away from incompatible materials, Use appropriate safety equipment, Avoid eye and skin contact, Avoid inhalation of mist, Wash thoroughly after handling, Avoid release to the environment, Triple rinse container before discarding
Storage	KEEP OUT OF REACH OF CHILDREN, Keep container closed when not in use, Store away from incompatible materials, Avoid storing in direct sunlight, Stored above 4.4°C (40°F) and below 49°C (120°F)
Incompatible Materials	Incompatible with, strong oxidizing agents, strong acids, powdered metals, zinc, iron, copper, nickel, brass

SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**EXPOSURE LIMITS**

CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA PEL (TWA 8)	OSHA (CEIL)	Significant Exposure
Hydrogen Peroxide	1 ppm (1.4 mg/m ³)		1 ppm (1.4 mg/m ³)		RT

PERSONAL PROTECTIVE EQUIPMENT

Chemical Safety Glasses, Goggles or Face Shield



Impervious Chemical Gloves



Eye Wash (Recommended)

**Ventilation**

General Ventilation

HMIS HAZARD RATINGS

Health	2
Flammability	0
Reactivity	1
Personal Protection	B

SECTION – 9 PHYSICAL AND CHEMICAL PROPERTIES

Flash Point	> 93.3°C (200°F) - TAG Closed Cup	Specific Gravity / Density	1.007
Flammable Limits	ND	pH (± 0.3)	6.0 - 6.5
Auto-Ignition Temp.	ND	Viscosity	ND
Physical State	Liquid	Freeze Point	0°C (32°F)
Appearance	Clear	Boiling Point	100°C (212°F)
Odor	Mild Citrus	Vapor Density (air=1)	ND
Odor Threshold	ND	Vapor Pressure (mm Hg)	ND
Solubility	100%	Evaporation Rate (nBuAc=1)	ND
Volatiles	< 98%	Partition Coefficient	ND
VOC	0.13%	Molecular Weight (g/mol)	~ 21.07
LVP-VOC	0.0%	Decomposition Temperature	ND

SECTION – 10 STABILITY AND REACTIVITY

Reactivity (Specific Test Data)	None available
Chemical Stability	Stable when stored above 4.4°C (40°F) and below 49°C (120°F)
Hazardous Polymerization	Will not occur
Conditions To Avoid	Incompatible materials
Incompatible Materials	Incompatible with, strong oxidizing agents, strong bases, strong acids, powdered metals, zinc, iron, copper, nickel, brass
Thermal Decomposition	Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes

SECTION – 11 TOXICOLOGICAL INFORMATION**ROUTES OF EXPOSURE**

Eyes (Yes), Skin (Yes), Inhalation (Yes "Mist"), Ingestion (Yes)

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause serious eye irritation, by direct product eye contact
Skin Can cause skin irritation, redness, drying, cracking, or allergic skin reaction
Inhalation Spray mist may cause mild irritation, to respiratory tract
Ingestion May be harmful if swallowed, Minimal acute toxicity if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye irritation, redness, tearing, or pain, by direct product eye contact
Skin Causes skin irritation, defatting of the skin which may lead to dermatitis, or allergic skin reaction
Inhalation Spray mist may cause irritation, to mucus membranes or respiratory tract
Ingestion May be harmful if swallowed, May cause irritation, of the mouth, throat, and esophagus, Symptoms may include, vomiting, abdominal pain, nausea or diarrhea

Acute Tox Calculated **Oral:** 21,307 mg/kg **Dermal:** 32,338 mg/kg **Inhaled:** 36.0 mg/L

Acute Tox Category Not applicable (Oral >5000 mg/kg), Not applicable (Dermal >5000 mg/kg), Not applicable (Inhaled >12.5 mg/L) Dust or Mist

Additional Info

Target Organs Liver, Respiratory Tract, Eyes (Lens or cornea), Skin
Medical Conditions Preexisting, eye, skin, liver, respiratory, disorders may be aggravated by exposure to this product
Notes to Physician In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption

CARCINOGENIC – This product contains concentrations above 0.1% of the following:

<u>CHEMICAL NAME</u>	<u>NTP</u>	<u>ACGIH</u>	<u>IARC</u>	<u>GHS Category</u>
None Listed	NA	NA	NA	NA

MUTAGENIC AND REPRODUCTIVE EFFECTS – This product contains concentrations above 0.1% of the following:

<u>CHEMICAL NAME</u>	<u>Germ Cell Mutagenicity</u>	<u>Toxic to Reproduction</u>
None Listed	NA	NA

COMPONENTS ACUTE TOXICITY

<u>CHEMICAL NAME</u>	<u>Type</u>	<u>Form</u>	<u>Subject</u>	<u>Result Value</u>	<u>Exposure Time</u>	<u>GHS Category</u>
Hydrogen Peroxide	LD50	Oral	Rat	1,270 mg/kg		4 (>300, ≤2000 mg/kg)
	LD50	Dermal	Rabbit	> 2,000 mg/kg		(>2000 mg/kg)
	LD50	Inhaled	Rat	2.0 mg/L	4 Hour (Mist)	4 (>1.0, ≤5 mg/L)

SECTION – 12 ECOLOGICAL INFORMATION

<u>CHEMICAL NAME</u>	<u>Type</u>	<u>Subject</u>	<u>Subject Latin</u>	<u>Result Value</u>	<u>Exposure Time</u>	<u>GHS Category</u>
Hydrogen Peroxide	LC50	Fathead Minnow	(Pimephales promelas)	16.4 mg/L	96 Hours	3 (>10, ≤100 mg/L)

Presistence And Degradability This product is inherently biodegradable according to the OECD definition

Bioaccumulative Potential There is no evidence to suggest bioaccumulation will occur

Mobility In Soil This material is a mobile liquid

Other Adverse Effects Harmful to aquatic life

SECTION – 13 DISPOSAL CONSIDERATIONS**DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER**

Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

ENVIRONMENTAL FATE

Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste

CONTAINER DISPOSAL - Triple rinse container then offer for recycling. If not available, puncture and dispose in a sanitary landfill

SECTION – 14 TRANSPORT INFORMATION**DOT CLASSIFICATION**

<u>UN Number</u>	<u>Proper Shipping Name</u> n.o.s. (Chemicals) or "Limits"						
Not Regulated	Non Regulated Material						
<u>Hazard Class</u>	<u>Packing Group</u>	<u>Label Codes</u>	<u>Reportable Quantity (lbs)</u>	<u>Response</u>	<u>Marine Pollutant</u>	<u>Hazard Label</u>	<u>Secondary</u>
None	None	None	None	128	No		

Additional Info:

SECTION – 15 REGULATORY INFORMATION

TSCA													
CHEMICAL NAME	Sec 8(b) Inventory	Sec 8(d) Health And Safety	Sec 4(a) Chemical Test Rules	Sec 12(b) Export Notification									
Hydrogen Peroxide	Yes												
REPORTABLE QUANTITIES													
CHEMICAL NAME	Extremely Hazardous	Reportable Quantity	Emission Reporting										
Hydrogen Peroxide (> 52%)	EPCRA TPQ Sec 302	EPCRA RQ Sec 304	CERCLA RQ Sec 103	TRI Sec 313	RCRA Code	RMP TQ Sec 112r							
			1000										
SARA													
CHEMICAL NAME	Section 311			Section 311 / 312 Hazards									
Hydrogen Peroxide	Hazardous Chemical	Acute	Chronic	Flammable	Pressure	Reactive							
	Yes	Yes	Yes			Yes							
RIGHT TO KNOW													
CHEMICAL NAME	STATE												
Hydrogen Peroxide	CA	CT	FL	IL	LA	NJ	NY	PA	MI	MN	MA	RI	WI
						Yes		Yes			Yes		
CALIFORNIA													
CHEMICAL NAME	CAS #	WARNING! This product contains chemicals known to the state of California to cause:											
None Listed		Birth Defects	Reproductive Harm	Carcinogen	Developmental								
CLEAN AIR WATER ACTS													
CHEMICAL NAME	CAS #	Clean Air Acts			Clean Water Acts								
None Listed		HAP	Ozone Class 1	Ozone Class 2	HS	PP	TP						
INTERNATIONAL REGULATIONS – The components of this product are listed on the chemical inventories of the following countries:													
CHEMICAL NAME	Australia	Canada	Europe (EINECS)	Japan	Korea	UK							
Hydrogen Peroxide	Yes	Yes	Yes	Yes	Yes	Yes							
WHMIS Classification													
CHEMICAL NAME	DSL	Class	Description										
Hydrogen Peroxide	Yes	D-2B	Materials Causing Other Toxic Effects; Toxic Material										
		C	Oxidizing Material										

SECTION – 16 OTHER INFORMATION

SDS	LEGEND DESCRIPTION
ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service Registry
CEIL	Ceiling Limit (15 minutes)
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act
CI	Cochlear Impairment
CNS	Central Nervous System
EC50	Concentration of a chemical that gives half-maximal response
EPA	Environmental Protection Agency
Eye	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)
FBG	Full Bunker Gear
GHS	Globally Harmonized System
HAP	California Hazardous air pollutant Clean Air Act
HMIS-A	Safety Glasses
HMIS-B	Safety glasses, gloves
HMIS-C	Safety glasses, gloves, chemical apron
HMIS-D	Face shield, gloves, chemical apron
HMIS-E	Safety glasses, gloves, dust respirator
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator
HMIS-G	Safety glasses, gloves, vapor respirator
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator
HMIS-I	Safety glasses, gloves, dust and vapor respirator
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots
HMIS-X	Ask Supervisor
HS	California Hazardous Substance under the Clean Water Act
KD	Kidney Damage (nephropathy)
LC50	A concentration that is lethal to 50% of a given species in a given time
LD50	Dose that is lethal to 50% of a given species by a given route of exposure
LEL	Lower Explosive Limit
LD	Liver Damage
NA	Not Applicable
ND	Not Determined
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety and Health
NE	Not Established
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit (OSHA)
PNS	Peripheral Nervous System
PP	California Priority Pollutant under the Clean Water Act
REL	Recommended exposure limit (NIOSH)
RT	Upper Respiratory Tract
Skin	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
SARA	Superfund Amendments and Reauthorization Act
STEL	Short Term Exposure Limit (15 minutes)
TC Lo	Lowest concentration that is toxic to a given species in a given time
TD Lo	Lowest dose that is toxic to a given species
TLV	Threshold Limit Value (ACGIH)
TP	California Toxic Pollutant under the Clean Water Act
TSCA	Toxic Substances Control Act
TWA	Time Weighted Average (8 hours)
UEL	Upper Explosive Limit

Core Products Co., Inc.

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.