

SAFETY DATA SHEET

PRODUCTS COMP.	ANY Heavy Duty Spin Bonnet Solution	Revision Date	1/5/2016				
SECTION – 1	CHEMICAL PRODUCT AND COMPANY IDENTIFICATION						
PRODUCT NAME	Heavy Duty Spin Bonnet Solution	ITEM SBHD					
PRODUCT USE	Non-Residual Bonnet Cleaner						
COMPANY NAME	Core Products Co., Inc. Office (800) 825-2673						
	401 Industrial Rd Fax (903) 567-1346						
	Canton TX 75103 Web www.coreproductsco.com						
	EMERGENCY TELEPHONE NUMBER CHEMTREC (800) 424-9300						
SECTION – 2	HAZARDS INFORMATION						
Health Hazards EY	ES-Category 2A; SKIN-Category 2; STOT SINGLE EXPOSURE-Category 3						
	Irritant (skin and eye) Respiratory Tract Irritant						
irrit Ma	uses serious eye irritation, Causes skin irritation, May be fatal if swallowed and enters a ation y be harmful if swallowed, Do not get in eyes, on skin, or clothing, and avoid inhalation ipment as required, Wash thoroughly after handling, Avoid release into the environment	of mist, Use personal prot					
•	COMPOSITION INFORMATION (Exact percentage of the listed chemicals of		trade secret)				
CHEMICAL NAME	COMMON NAME AND SYNONYMS CAS # IM	PURITIES	PERCENT				
Glycol Ether PnB		propanol-2-butoxy	1 - 20%				
2-butoxyethanol	Ethylene Glycol Monobutyl Ether 111-76-2		1 - 25%				
SECTION – 4	FIRST AID MEASURES						
EYE CONTACT	Immediately flush eyes with cold water for at least 15 minutes while lifting upper and lenses if present and easy to do without injury to the eye and continue rinsing, If irri						
SKIN CONTACT	Wash contaminated skin with plenty of soap and water, Remove any contaminated irritation occurs or persists seek medical aid	clothing and wash before	reuse, If				
INHALATION	Move person to fresh air, if they have problem breathing, show signs of overexposu attention	re or feel unwell obtain me	edical				
INGESTION	DO NOT INDUCE VOMITING. If person is fully conscious, rinse mouth out and give dilute and obtain immediate medical attention. If vomiting occurs, keep head below lungs						
Aspiration Hazard	Aspiration into the lungs can cause severe lung damage and is a medical emergence an unconscious person. Call a physician or hospital emergency room immediately, and vomiting, place on the left side with the head down. If possible, do not leave vic closely for adequacy of breathing	If victim is drowsy or unco	nscious				
ACUT	E SYMPTOMS OF SINGLE OVEREXPOSURE						
Eyes	Can cause serious eye irritation, by direct product contact or mists						
Skin	Can cause skin irritation, redness, drying or cracking						
Inhalation	Spray mist may cause mild irritation, to respiratory tract						
Ingestion	May be harmful if swallowed, Can be harmful if swallowed and enters airways						
	<u>IC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE</u>						
Eyes	Causes serious eye irritation, redness, tearing, or pain, by direct product contact or	THISTS					
Skin Inhalation							
Ingestion	Spray mist may cause irritation, to respiratory tract	n may affect liver kidney	blood				
และอุณฑา	May be harmful if swallowed, May be fatal if swallowed and enters airways, Ingestio central nervous system	n may anect, liver, kioneys	s, bioou,				

Page 2 of 5			Heavy Duty	Spin Bonnet So	lution	Re	evision Date	1/5/201
SECTION – 5 FIF	RE FIGHTI	NG MEASURES						
Extinguishing Media	Ν	lot flammable: Use ex	inguishing med	dia for surround	ling fire			
Hazardous Decompos	sition E	ourning or thermal dec cids, and other toxic fu	omposition can		-	ide, carbon di	oxide, ketones	s, organic
Reactive With	F	Reactive with, strong or	kidizing agents	, strong bases,	strong acids			
Explosion Hazards	Ν	lot applicable						
tatic Discharge	Ν	lot applicable						
lechanical Impact	Ν	lot applicable						
Protective Equipment	: L	lse MSHA/NIOSH app	roved self-cont	ained breathing	g apparatus and full p	rotective gear		
ECTION – 6 AC	CIDENTA	RELEASE MEASURE	3					
Emergency Procedur	es \	Varn personnel of spil	l					
Personal Precautions		Avoid slipping on spille						
Protective Equipmen		Safety Glasses, Gloves						
Containment		Jse rags or towels to p		m spreading				
Clean Up Procedures		Jse wet vacuum or mo	•		d material then mon	area with clea	n water	
Disposal		Dispose of material in a			•			
-							-	
Handling		Jse appropriate safety	aquinment A	roid ave and al	in contact. Avaid inha	lation of mist	Do not omoky	o ot or
landing	c t	drink while using, Was before discarding	h thoroughly af	ter handling, A	void release to the en	vironment, Tr	iple rinse cont	ainer
Storage		KEEP OUT OF REACH materials, Store away			ner closed when not	in use, Store a	away from inco	ompatible
ncompatible Material		noomnatible with atra		onto otrona ha	ses, strong acids			
	IS	ncompatible with, stro	ng oxidizing ag	ents, strong ba	, 0			
-		CONTROLS / PERSONA		-	, J			
SECTION – 8 EX		•		-	, .			Significa
ECTION – 8 EX		•		-	OSHA PEL (TWA 8) OSł	IA (CEIL)	•
ECTION – 8 EX EXPOSURE LIMITS CHEMICAL NAME		CONTROLS / PERSONA		1	-) OSł	HA (CEIL)	•
ECTION – 8 EX EXPOSURE LIMITS CHEMICAL NAME Glycol Ether PnB 2-butoxyethanol	POSURE	CONTROLS / PERSONA ACGIH (TV 50 ppm 20 ppm		1	-	-	HA (CEIL)	•
ECTION – 8 EX EXPOSURE LIMITS CHEMICAL NAME Glycol Ether PnB 2-butoxyethanol	POSURE	CONTROLS / PERSONA ACGIH (TV 50 ppm 20 ppm		1	OSHA PEL (TWA 8	-	HA (CEIL)	Exposu SA
SECTION – 8 EX EXPOSURE LIMITS CHEMICAL NAME Glycol Ether PnB 2-butoxyethanol PERSONAL PROTECT Chemical Safety Glasse Goggles or Face Shiel Ventilation General Ventilation	FIVE EQUI	ACGIH (TV 50 ppm 20 ppm PMENT	VA 8) A	1	OSHA PEL (TWA 8	m³) Fl	Eye Wa	sh nded)
ECTION – 8 EX EXPOSURE LIMITS CHEMICAL NAME Glycol Ether PnB 2-butoxyethanol ERSONAL PROTECT Chemical Safety Glasse Goggles or Face Shiel Mentilation General Version Chemical Safety Glasse Chemical Safety Glasse	FIVE EQUI es, d C entilation	ACGIH (TV 50 ppm 20 ppm PMENT WWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWW	AL PROTECTION VA 8) A	CGIH (STEL)	OSHA PEL (TWA 8	m³) Fi Personal	Eye Wa Eye Wa (Recomme IS HAZARD RA Health lammability Reactivity	Exposu SA SA sh nded) TINGS 2 2 0
ECTION – 8 EX EXPOSURE LIMITS CHEMICAL NAME Glycol Ether PnB 2-butoxyethanol ERSONAL PROTECT Chemical Safety Glasse Goggles or Face Shiel Mentilation General Ver ELSON – 9 PH Flash Point	POSURE	ACGIH (TV 50 ppm 20 ppm PMENT Mervious nemical Gloves	AL PROTECTION VA 8) A	CGIH (STEL)	OSHA PEL (TWA 8 50 ppm (240 mg/	m³) Fl Personal 0.959	Eye Wa Eye Wa (Recomme IS HAZARD RA Health lammability Reactivity	Exposu SA SA sh nded) TINGS 2 2 0
ECTION – 8 EX EXPOSURE LIMITS CHEMICAL NAME Glycol Ether PnB 2-butoxyethanol ERSONAL PROTECT Chemical Safety Glasse Goggles or Face Shiel Ventilation General Ventilation General Ventilation General Ventilation General Ventilation Chemical Safety Glasse Chemical Safety Glasse Che	POSURE	ACGIH (TV 50 ppm 20 ppm PMENT WWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWW	AL PROTECTION VA 8) A	CGIH (STEL) Specific pH (± 0.	OSHA PEL (TWA 8 50 ppm (240 mg/	m³) Personal 0.959 9.0 - 9.5	Eye Wa Eye Wa (Recomme IS HAZARD RA Health lammability Reactivity	Exposu SA SA sh nded) TINGS 2 2 0
ECTION – 8 EX XPOSURE LIMITS CHEMICAL NAME Glycol Ether PnB 2-butoxyethanol ERSONAL PROTECT Chemical Safety Glasse Goggles or Face Shiel Ventilation General Ventilation General Ventilation ECTION – 9 PH Flash Point Flammable Limits Auto-Ignition Temp.	POSURE	ACGIH (TV 50 ppm 20 ppm PMENT WWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWW	AL PROTECTION VA 8) A	CGIH (STEL) Specific pH (± 0. Viscosi	OSHA PEL (TWA 8 50 ppm (240 mg/	m³) Personal 0.959 9.0 - 9.5 ND	Eye Wa Eye Wa (Recomme IS HAZARD RA Health lammability Reactivity	Exposu SA SA sh nded) TINGS 2 2 0
ECTION – 8 EX EXPOSURE LIMITS CHEMICAL NAME Glycol Ether PnB 2-butoxyethanol ERSONAL PROTECT Chemical Safety Glasse Goggles or Face Shiel Ventilation General Ventilation General Ventilation General Ventilation ECTION – 9 PH Flash Point Flammable Limits Auto-Ignition Temp. Physical State	POSURE TIVE EQUI ess, Id Cl entilation PYSICAL A > 93.3°C ND ND Liquid	ACGIH (TV 50 ppm 20 ppm PMENT WWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWW	AL PROTECTION VA 8) A	CGIH (STEL) Specific pH (± 0 Viscosi Freeze	OSHA PEL (TWA 8 50 ppm (240 mg/ 240 mg/ 250 ppm (240 mg/ 240 mg/ 250 ppm (240 mg/ 240 mg/ 250 ppm (240 mg/ 240	m³) Personal 0.959 9.0 - 9.5 ND 0°C (32°F)	Eye Wa (Recomme IS HAZARD RA Health lammability Reactivity	Exposu SA SA sh nded) TINGS 2 2 0
ECTION – 8 EX EXPOSURE LIMITS CHEMICAL NAME Glycol Ether PnB 2-butoxyethanol ERSONAL PROTECT Chemical Safety Glasse Goggles or Face Shiel Chemical Safety Glasse Goggles or Face Shiel EXAMPLE A CONTRACT OF CONTRACT Chemical Safety Glasse Goggles or Face Shiel Chemical Safety Glasse Chemical Safety Glasse C	POSURE TIVE EQUI ES, Id Cl entilation PYSICAL A > 93.3°C ND ND Liquid Clear	ACGIH (TV 50 ppm 20 ppm PMENT WWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWW	AL PROTECTION VA 8) A	CGIH (STEL) Specific pH (± 0. Viscosi Freeze Boiling	OSHA PEL (TWA 8 50 ppm (240 mg/ 240 mg/ 250 ppm (240 mg/ 240 mg/ 250 ppm (240 mg/ 240 mg/ 250 ppm (240 mg/ 240	m³) Personal 0.959 9.0 - 9.5 ND 0°C (32°F) 100°C (2124	Eye Wa (Recomme IS HAZARD RA Health lammability Reactivity	Exposu SA Sh nded) TINGS 2 2 0
ECTION – 8 EX EXPOSURE LIMITS CHEMICAL NAME Glycol Ether PnB 2-butoxyethanol ERSONAL PROTECT Chemical Safety Glasse Goggles or Face Shiel Ventilation General Ve ECTION – 9 PH Flash Point Flammable Limits Auto-Ignition Temp. Physical State Appearance Ddor	FOSURE FIVE EQUI es, Id Cl entilation YSICAL A > 93.3°C ND ND Liquid Clear Sassafra	ACGIH (TV 50 ppm 20 ppm PMENT WWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWW	AL PROTECTION VA 8) A	CGIH (STEL) Specific pH (± 0. Viscosi Freeze Boiling Vapor I	OSHA PEL (TWA 8 50 ppm (240 mg/ 240 mg	m³) Personal 0.959 9.0 - 9.5 ND 0°C (32°F) 100°C (2124 ND	Eye Wa (Recomme IS HAZARD RA Health lammability Reactivity	Exposu SA Sh nded) TINGS 2 2 0
ECTION - 8 EX EXPOSURE LIMITS E CHEMICAL NAME Glycol Ether PnB 2-butoxyethanol E PERSONAL PROTECT E Chemical Safety Glasse Goggles or Face Shiel Chemical Safety Glasse General Ve ECTION - 9 PH Flash Point Flammable Limits Auto-Ignition Temp. Physical State Appearance Odor Odor Threshold EX	POSURE TIVE EQUI ess, Id Cl entilation PSICAL A > 93.3°C ND Liquid Clear Sassafra: ND	ACGIH (TV 50 ppm 20 ppm PMENT WWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWW	AL PROTECTION VA 8) A	CGIH (STEL) Specific pH (± 0. Viscosi Freeze Boiling Vapor I Vapor F	OSHA PEL (TWA 8 50 ppm (240 mg/ 250 ppm (240 mg/ 240 mg/ 250 ppm (240 mg/ 240 mg/ 250 ppm (240 mg/ 240 mg/ 260	m³)	Eye Wa (Recomme IS HAZARD RA Health lammability Reactivity	Exposu SA Sh nded) TINGS 2 2 0
SECTION - 8 EX EXPOSURE LIMITS CHEMICAL NAME Glycol Ether PnB 2-butoxyethanol 2-butoxyethanol ERSONAL PROTECT VERSONAL PROTECT Chemical Safety Glasse Goggles or Face Shiel Ventilation General Version General Version SECTION - 9 PH Flash Point Flammable Limits Auto-Ignition Temp. Physical State Appearance Odor Odor Threshold Solubility	POSURE TIVE EQUI es, d Cl entilation YSICAL A > 93.3°C ND Liquid Clear Sassafra ND 100%	ACGIH (TV 50 ppm 20 ppm PMENT WWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWW	AL PROTECTION VA 8) A	CGIH (STEL) Specific pH (± 0. Viscosi Freeze Boiling Vapor I Vapor F Evapor	OSHA PEL (TWA 8 50 ppm (240 mg/ 50 ppm (240 mg/ 240 mg/ 250 ppm (240 mg/ 240 mg/ 250 ppm (240 mg/ 240 mg/ 250 ppm (240 mg/ 240	m³)	Eye Wa (Recomme IS HAZARD RA Health lammability Reactivity	Exposu SA Sh nded) TINGS 2 2 0
ECTION – 8 EX EXPOSURE LIMITS CHEMICAL NAME Glycol Ether PnB 2-butoxyethanol ERSONAL PROTECT Chemical Safety Glasse Goggles or Face Shiel EXAMPLE AND CONTRACT Chemical Safety Glasse Chemical Safety Glasse Chemic	POSURE TIVE EQUI es, Id Cl entilation YSICAL A > 93.3°C ND Liquid Clear Sassafra: ND 100% < 99.6	ACGIH (TV 50 ppm 20 ppm PMENT WWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWW	AL PROTECTION VA 8) A	CGIH (STEL) Specific pH (± 0. Viscosi Freeze Boiling Vapor I Vapor F Evapor Partitio	OSHA PEL (TWA 8 50 ppm (240 mg/ 50 ppm (240 mg/ 240 mg	m³)	Eye Wa (Recomme IS HAZARD RA Health lammability Reactivity	Exposu SA Sh nded) TINGS 2 2 0
ECTION – 8 EX EXPOSURE LIMITS CHEMICAL NAME Glycol Ether PnB 2-butoxyethanol ERSONAL PROTECT Chemical Safety Glasse Goggles or Face Shiel Ventilation General Ventilation	POSURE TIVE EQUI es, Id Cl entilation YSICAL A > 93.3°C ND Liquid Clear Sassafra: ND 100% < 99.6	ACGIH (TV 50 ppm 20 ppm PMENT WWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWW	AL PROTECTION VA 8) A	CGIH (STEL) Specific pH (± 0) Viscosi Freeze Boiling Vapor I Vapor P Evapor Partitio Molecu	OSHA PEL (TWA 8 50 ppm (240 mg/ 50 ppm (240 mg/ 240 mg/ 250 ppm (240 mg/ 240 mg/ 250 ppm (240 mg/ 240 mg/ 250 ppm (240 mg/ 240	m³)	Eye Wa (Recomme IS HAZARD RA Health lammability Reactivity	Exposu SA SA sh nded) TINGS 2 2 0

Page 3 of 5 Heavy Duty Spin Bonnet Solution **Revision Date** 1/5/2016 SECTION - 10 STABILITY AND REACTIVITY Reactivity (Specific Test Data) None available **Chemical Stability** Stable at normal ambient temperature and pressure **Hazardous Polymerization** Will not occur **Conditions To Avoid** Incompatible materials **Incompatible Materials** Incompatible with, strong reducing agents, strong bases, strong acids **Thermal Decomposition** Burning or thermal decomposition can produce, aldehydes, carbon monoxide, carbon dioxide, ketones, organic acids, and other toxic fumes SECTION - 11 TOXICOLOGICAL INFORMATION **ROUTES OF EXPOSURE** Eyes (Yes), Skin (Yes), Inhalation (Yes "Mist"), Ingestion (Yes) ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE Eyes Can cause serious eye irritation, by direct product contact or mists Skin Can cause skin irritation, redness, drying or cracking Inhalation Spray mist may cause mild irritation, to respiratory tract Ingestion May be harmful if swallowed, Can be harmful if swallowed and enters airways CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE Eyes Causes serious eye irritation, redness, tearing, or pain, by direct product contact or mists Skin Can cause skin irritation, defatting of the skin which may lead to dermatitis Inhalation Spray mist may cause irritation, to respiratory tract Ingestion May be harmful if swallowed, May be fatal if swallowed and enters airways, Ingestion may affect, liver, kidneys, blood, central nervous system Acute Tox Calculated Oral: 2,581 mg/kg Dermal: 4,636 mg/kg Inhaled: 10.7 mg/L Acute Tox Category Not applicable (Oral >2,000 mg/kg), Not applicable (Dermal >2,000 mg/kg), Not applicable (Inhaled >5 mg/L) Dust or Mist **Additional Info Target Organs** Kidneys, Liver, Respiratory Tract, Eyes (Lens or cornea), Skin, Central Nervous System **Medical Conditions** Preexisting, eye, liver, kidney, central nervous system, respiratory, disorders may be aggravated by exposure to this product Notes to Physician In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption CARCINOGENIC – This product contains concentrations above 0.1% of the following: CHEMICAL NAME NTP ACGIH IARC **GHS Category** None Listed NA NΔ NΔ NA MUTAGENIC AND REPRODUCTIVE EFFECTS – This product contains concentrations above 0.1% of the following: CHEMICAL NAME Germ Cell Mutagenicity **Toxic to Reproduction** NA NA None Listed **COMPONENTS ACUTE TOXICITY CHEMICAL NAME** Result Value Form Subject Exposure Time **GHS Category** Type I D50 2-butoxyethanol Oral Rat 530 mg/kg 4 (>300, ≤2000 mg/kg) LC50 Inhaled Rat 2.17 mg/L 4 Hours (Mist) 4 (>1.0, ≤5 mg/L) LD50 Dermal Guinea Pig 1650 mg/kg 4 (>1000, ≤2000 mg/kg) Glycol Ether PnB LD50 Oral Rat 5,009 mg/kg (>2000 mg/kg) LD50 Dermal > 2,000 mg/kg (>2000 mg/kg) Rat SECTION - 12 **ECOLOGICAL INFORMATION CHEMICAL NAME** Subject Subject Latin Result Value Exposure Time **GHS Category** <u>Type</u> 2-butoxyethanol EC50 Water Flea (Daphnia magna) 1,815 mg/L 24 Hours 4 (>100 mg/L) LC50 Bluegill (Lepomis macrochirus) 220 mg/L 96 Hours 4 (>100 mg/L) LC50 Glycol Ether PnB Guppy (Poecilia reticulata) 4 (>100 mg/L) 560 mg/L 96 Hours LC50 Fish (Leuciscus idus) > 1,000 mg/L 96 Hours 4 (>100 mg/L) Presistence And Degradability This product is inherently biodegradable according to the OECD definition **Bioaccumulative Potential** There is no evidence to suggest bioaccumulation will occur **Mobility In Soil** This material is a mobile liquid Other Adverse Effects May be harmful to aquatic life

SECTION – 13 DISPOSAL CONSIDERATIONS

DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

ENVIRONMENTAL FATE

Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste

CONTAINER DISPOSAL - Triple rinse container then offer for recycling. If not available, puncture and dispose in a sanitary landfill

SECTION – 14 TRANSPORT INFORMATION

DOT CLASSIF	ICATION						
<u>UN Number</u>		Pro	oper Shipping Name n.o.s. ((<u>Chemicals) o</u>	<u>r "Limits"</u>		
Not Regulate	d Non H	azardous – Compour	nds Cleaning Liquid				
Hazard Class	Packing Group	Label Codes	Reportable Quantity (lbs)	<u>Response</u>	Marine Pollutant	Hazard Label	<u>Secondary</u>
None	None	None	None	154	No		
Additional Info):						

SECTION – 15	REGULATORY II	NFORMATI	ON											
<u>TSCA</u>														
CHEMICAL NAME		Sec 8(b)	Inventory	S	ec 8(d) H	Health A	nd Safety	S	ec 4(a) Che	mical Test I	Rules	Sec 12(b) Expo	rt Notification
Glycol Ether PnB		١	′es											
2-butoxyethanol		١	′es			Yes								
REPORTABLE QUA	NTITIES		Extremely	Hazardou	s		Reportable	e Quantity	Emissio	n Reporting				
CHEMICAL NAME		EPCRA TI	PQ Sec 302	EPCRA	RQ Sec	: 304	CERCLA R	Q Sec 103	TRI	Sec 313	RC	RA Code	RM	P TQ Sec 112
Glycol Ethers									١	/es				
SARA		S	ection 31	1				Secti	on 311 / 3	12 Hazar	ds			
CHEMICAL NAME		Hazar	dous Che	emical		Acute	1	Chronic	FI	ammable		Pressure		Reactive
Glycol Ether PnB			Yes			Yes				Yes				
2-butoxyethanol			Yes			Yes		Yes		Yes				
<u>RIGHT TO KNOW</u>							STAT	E						
CHEMICAL NAME		CA	СТ	FL	IL	LA	NJ	NY	PA	МІ	MN	MA	RI	WI
Glycol Ether PnB								Yes	Yes					
2-butoxyethanol							Yes		Yes			Yes		
CALIFORNIA				WARNI	NG! Th	is pro	duct cont	ains chem	nicals kno	own to the	state	of Califorr	ia to c	cause:
CHEMICAL NAME		CAS #		Birth D	efects		Reprod	uctive Ha	m	Carcino	ogen	0)evelo	pmental
None Listed														
CLEAN AIR WATER	ACTS			Clean	Air Ac	ts				(Clean V	Vater Acts		
CHEMICAL NAME		CAS #		HAP		Ozoi	ne Class 1	l Ozo	ne Class	2 I	IS	PP		ТР
None Listed														
INTERNATIONAL RE	EGULATIONS -	The comp	onents of	this prod	uct are	listed of	on the che	mical inve	ntories of	the followi	ng coui	ntries:		
CHEMICAL NAME		Aust	ralia	Ca	anada	E	urope (El	NECS)	Japa	ın	K	orea		UK
Glycol Ether PnB		Ye	es	Ň	Yes		Yes		Yes	6	١	/es		Yes
2-butoxyethanol		Ye	es	Ň	Yes		Yes		Yes	6	١	/es		Yes
WHMIS Classification	on													
CHEMICAL NAME			DSL	Class	Desc	ription	n							
2-butoxyethanol			Yes	D-2B	Mate	erials C	Causing C	Other Tox	ic Effects	s; Toxic N	/lateria	I		

Page 5 of 5		Heavy Duty Spin Bonn	Revision Date	1/5/2016	
SECTIC	ON – 16 OTHER INFORMATION				
SDS	LEGEND DESCRIPTION				
ACGIH	American Conference of Governmental Industrial Hygienists	LC50	A concentration that is lethal to 50% of a give	n species in a given time	
CAS	Chemical Abstracts Service Registry	LD50	Dose that is lethal to 50% of a given species		ure
CEIL	Ceiling Limit (15 minutes)	LEL	Lower Explosive Limit		
CERCL	. . ,	d Liability Act LD	Liver Damage		
CI	Cochlear Impairment	NA	Not Applicable		
CNS	Central Nervous System	ND	Not Determined		
EC50	Concentration of a chemical that gives half-maximal response	NFPA	National Fire Protection Association		
EPA	Environmental Protection Agency	NIOSH	National Institute for Occupational Safety and	Health	
Eye	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)	NE	Not Established		
FBG	Full Bunker Gear	NTP	National Toxicology Program		
GHS	Globally Harmonized System	OSHA	Occupational Safety and Health Administration	n	
HAP	California Hazardous air pollutant Clean Air Act	PEL	Permissible Exposure Limit (OSHA)		
HMIS-A	Safety Glasses	PNS	Peripheral Nervous System		
HMIS-B	Safety glasses, gloves	PP	California Priority Pollutant under the Clean V	Vater Act	
HMIS-C	Safety glasses, gloves, chemical apron	REL	Recommended exposure limit (NIOSH)		
HMIS-D	Face shield, gloves, chemical apron	RT	Upper Respiratory Tract		
HMIS-E	Safety glasses, gloves, dust respirator	Skin	(SI = Irritation) (SD = Damage) (SA = Absorption	tion) (SS = Sensitizer)	
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization	Act	
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)		
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Lowest concentration that is toxic to a given s	pecies in a given time	
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species		
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respi	rator TLV	Threshold Limit Value (ACGIH)		
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Wa	ater Act	
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act		
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours)		
KD	Kidney Damage (nephropathy)	UEL	Upper Explosive Limit		
0 D-	advete Calles				

Core Products Co., Inc.

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information. **Print Date** 1/22/2016

Supersedes Safety Data Sheet Dated

NOT TO BE SOLD IN THE STATE OF CALIFORNIA