

SECTION - 1

SAFFTY DATA SHFFT

New Generation Spin Bonnet Solution Revision Date 2/23/2016

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name New Generation Spin Bonnet Solution Item SBNG-Ready

Product Use Carpet Cleaner

Company Name Core Products Co., Inc. Office (800) 825-2673

401 Industrial Rd Fax (903) 567-1346

Canton TX 75103 Web www.coreproductsco.com

EMERGENCY TELEPHONE NUMBER CHEMTREC (800) 424-9300

SECTION – 2 HAZARDS INFORMATION

Health Hazards EYES-Category 2A; SKIN-Category 2; STOT SINGLE EXPOSURE-Category 3

Irritant (skin and eye)
Respiratory Tract Irritant

WARNING Causes serious eye irritation, Causes skin irritation, May cause respiratory irritation

May be harmful if swallowed, Do not get in eyes, on skin, or clothing, and avoid inhalation of mist, Use personal protective

equipment as required, Wash thoroughly after handling

SECTION - 3 **COMPOSITION INFORMATION** (Exact percentage of the listed chemicals of composition has been withheld as a trade secret) CHEMICAL NAME **COMMON NAME AND SYNONYMS** CAS# **IMPURITIES PERCENT** Sodium Xylene Sulfonate Xylenesulfonic acidsodium salt 1300-72-7 Water < 60% 1 - 10% Glycol Ether DB 112-34-5 1 - 30% Diethylene Glycol Monobutyl Ether

SECTION – 4 FIRST AID MEASURES

EYE CONTACT Flush eyes with cold water while lifting upper and lower eyelids, Remove contact lenses if present and easy to do

without injury to the eye and continue rinsing, If irritation persists seek medical aid

SKIN CONTACT Wash contaminated skin with plenty of water, Remove any contaminated clothing and wash before reuse, If irritation

occurs or persists seek medical aid

INHALATION Move person to fresh air, if they have problem breathing, show signs of overexposure or feel unwell obtain medical

attention

INGESTION DO NOT INDUCE VOMITING. If person is fully conscious, rinse mouth out and give one to two glasses of water to

dilute and obtain immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the

lungs

Aspiration Hazard Not applicable

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause serious eye irritation, discomfort, redness, tearing

Skin Can cause skin irritation, drying or cracking

Inhalation Spray mist may cause mild irritation

Ingestion May be harmful if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes eye irritation, redness, tearing, burning sensation

Skin Causes skin irritation, defatting of the skin which may lead to dermatitis

Inhalation Spray mist may cause irritation, to mucus membranes or respiratory tract

Ingestion May be harmful if swallowed, May cause irritation, of the mouth, throat, and may affect target organs, Symptoms may

include, vomiting, abdominal pain, nausea or diarrhea

SECTION – 5 FIRE FIGHTING MEASURES

Extinguishing Media Not flammable: Use extinguishing media for surrounding fire

Hazardous Decomposition Burning or thermal decomposition can produce, sulfur oxides, carbon monoxide, carbon dioxide, sodium oxides,

and other toxic fumes

Reactive With Reactive with, strong oxidizing agents

Explosion Hazards Not applicable
Static Discharge Not applicable
Mechanical Impact Not applicable

Protective Equipment Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

Revision Date

SECTION – 6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures Warn personnel of spill

Personal Precautions Avoid slipping on spilled product

Protective Equipment Safety Glasses, Gloves

Containment Use rags, towels, absorbent socks or pads to prevent spill from spreading, Prevent spill from entering the

environment

Clean Up Procedures

Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water

Disposal

Dispose of material in accordance with all State and Federal Guidelines and Regulations

SECTION – 7 HANDLING AND STORAGE

Handling Use appropriate safety equipment, Avoid eye and skin contact, Avoid inhalation of mist, Wash thoroughly after

handling, Avoid release to the environment, Triple rinse container before discarding

Storage KEEP OUT OF REACH OF CHILDREN, Keep container closed when not in use, Store away from incompatible

materials

Incompatible Materials Incompatible with, strong oxidizing agents

SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS					Significant
CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA PEL (TWA 8)	OSHA (CEIL)	Exposure
Glycol Ether DB	10 ppm				EI
Sodium Xylene Sulfonate	None Established				EI,SI,RT

PERSONAL PROTECTIVE EQUIPMENT



SECTION - 9

VOC

LVP-VOC





Impervious

PHYSICAL AND CHEMICAL PROPERTIES

Chemical Gloves

Ventilation

General Ventilation

HMIS HAZARD	RATINGS
Health	2
Flammability	0
Reactivity	0
Personal Protection	В

> 93.3°C (200°F) - TAG Closed Cup Specific Gravity / Density 1.005 **Flash Point** Flammable Limits ND $pH (\pm 0.3)$ 6.5 - 7.5 Auto-Ignition Temp. ND Viscosity ND **Physical State** Liquid **Freeze Point** 0°C (32°F) Clear **Boiling Point** 100°C (212°F) **Appearance** Odor Mild Vapor Density (air=1) ND **Odor Threshold** ND Vapor Pressure (mm Hg) ND Solubility 100% Evaporation Rate (nBuAc=1) ND Volatiles < 96% **Partition Coefficient** ND

SECTION – 10 STABILITY AND REACTIVITY

0.0%

21.4%

Reactivity (Specific Test Data) None available

Chemical Stability Stable at normal ambient temperature and pressure

Hazardous Polymerization Will not occur

Conditions To Avoid Incompatible materials

Incompatible Materials Incompatible with, strong oxidizing agents

Thermal Decomposition Burning or thermal decomposition can produce, sulfur oxides, carbon monoxide, carbon dioxide, sodium oxides,

Molecular Weight (g/mol)

Decomposition Temperature

ND

ND

and other toxic fumes

SECTION - 11 TOXICOLOGICAL INFORMATION

ROUTES OF EXPOSURE

Eyes (Yes), Skin (Yes), Inhalation (Yes "Mist"), Ingestion (Yes)

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause serious eye irritation, discomfort, redness, tearing

Skin Can cause skin irritation, drying or cracking

Inhalation Spray mist may cause mild irritation

Ingestion May be harmful if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes eye irritation, redness, tearing, burning sensation

Skin Causes skin irritation, defatting of the skin which may lead to dermatitis Inhalation Spray mist may cause irritation, to mucus membranes or respiratory tract

Ingestion May be harmful if swallowed, May cause irritation, of the mouth, throat, and may affect target organs, Symptoms may

include, vomiting, abdominal pain, nausea or diarrhea

Acute Tox Calculated > 5,000 mg/kg > 50.0 mg/LOral: > 5,000 mg/kgInhaled:

Acute Tox Category Not applicable (Oral >5000 mg/kg), Not applicable (Dermal >5000 mg/kg), No data available (Inhaled)

Additional Info

Target Organs Kidneys, Liver, Eyes (Lens or cornea), Skin

Medical Conditions Preexisting, eye, skin, liver, kidney, disorders may be aggravated by exposure to this product

Notes to Physician In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption

CARCINOGENIC - This product contains concentrations above 0.1% of the following:

CHEMICAL NAME NTP **ACGIH IARC GHS Category**

NA NΑ NΑ None Listed NΑ

MUTAGENIC AND REPRODUCTIVE EFFECTS - This product contains concentrations above 0.1% of the following:

CHEMICAL NAME Germ Cell Mutagenicity Toxic to Reproduction

NA NA None Listed

COMPONENTS ACUTE TOXICITY

Subject **CHEMICAL NAME Form Result Value Exposure Time GHS Category** Type Glycol Ether DB LD50 Oral Rat 7,291 mg/kg (>2000 mg/kg) LD50 Dermal Rabbit 2,764 mg/kg (>2000 mg/kg) 7,200 mg/kg (>2000 mg/kg) Sodium Xylene Sulfonate LD50 Oral Rat

SECTION - 12 **ECOLOGICAL INFORMATION**

CHEMICAL NAME Type Subject Subject Latin Result Value Exposure Time **GHS Category** LC50 Glycol Ether DB Fish (Leuciscus idus) 1,300 mg/L 96 Hours 4 (>100 mg/L) EC50 Water Flea (Daphnia magna) >100 mg/L 48 Hours 4 (>100 mg/L)

Presistence And Degradability This product is inherently biodegradable according to the OECD definition

Bioaccumulative Potential There is no evidence to suggest bioaccumulation will occur

Mobility In Soil This material is a partially mobile liquid Other Adverse Effects Harmful to aquatic life with long lasting effects

SECTION - 13 **DISPOSAL CONSIDERATIONS**

DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

ENVIRONMENTAL FATE

Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste

CONTAINER DISPOSAL - Triple rinse container then offer for recycling. If not available, puncture and dispose in a sanitary landfill

SECTION - 14 TRANSPORT INFORMATION

DOT CLASSIFICATION

UN Number Proper Shipping Name n.o.s. (Chemicals) or "Limits"

Non Hazardous - Compounds Cleaning Liquid Not Regulated

None

Hazard Class Packing Group **Label Codes** Reportable Quantity (lbs) Marine Pollutant Hazard Label Response **Secondary** None None None 154

Nο

Additional Info:

Page 4 of 5	New Generation Spin Bonnet Solution Revision							evision D	ate	2/23/2016			
SECTION – 15 REGULATORY	Y INFORMATION	NC											
TSCA													
CHEMICAL NAME	Sec 8(b)	Inventor	y \$	Sec 8(d) H	lealth A	and Safety	Se	ec 4(a) Che	mical Test R	ules	Sec 12(b) Expor	rt Notification
Glycol Ether DB	Υ	'es											
Sodium Xylene Sulfonate	Y	'es											
REPORTABLE QUANTITIES		Extremel	y Hazardoı	ıs		Reportable C	uantity	Emissio	n Reporting				
CHEMICAL NAME	EPCRA TP	Q Sec 30	2 EPCR	A RQ Sec	304	CERCLA RQ	Sec 103	TRIS	Sec 313	RC	RA Code	RMF	P TQ Sec 112
Glycol Ethers								Υ	⁄es				
SARA	Se	ection 3	11				Section	on 311 / 3	12 Hazaro	ls			
CHEMICAL NAME	Hazaro	dous Ch	nemical		Acute		Chronic	Fi	ammable	ı	Pressure		Reactive
Glycol Ether DB		Yes			Yes		Yes						
Sodium Xylene Sulfonate		Yes			Yes								
RIGHT TO KNOW						STATE							
CHEMICAL NAME	CA	СТ	FL	IL	LA	NJ	NY	PA	MI	MN	MA	RI	WI
Glycol Ether DB							Yes	Yes					
Sodium Xylene Sulfonate						Yes		Yes					
CALIFORNIA			WARN	ING! Th	is pro	duct contain	ns chem	icals kno	wn to the	state o	of Califori	nia to c	ause:
CHEMICAL NAME	CAS#		Birth [Defects		Reproduc	tive Har	m	Carcino	gen	I	Develo	pmental
None Listed													
CLEAN AIR WATER ACTS			Clear	n Air Ac	ts				C	lean W	ater Acts	i	
CHEMICAL NAME	CAS#		HAP		Ozor	ne Class 1	Ozor	ne Class	2 F	IS	PP)	TP
None Listed													
INTERNATIONAL REGULATIONS	- The compo	nents o	f this proc	luct are	listed o	on the chem	ical inve	ntories of	the following	ng coun	tries:		
CHEMICAL NAME	Austr	ralia	C	anada	E	urope (EIN	ECS)	Japa	ın	Ko	orea		UK
Glycol Ether DB	Ye	S		Yes		Yes		Yes	6	Υ	'es		Yes
Sodium Xylene Sulfonate	Ye	es		Yes		Yes		Yes	3	Y	'es		Yes
WHMIS Classification													
CHEMICAL NAME		DSL	. Class	Desc	ription	1							
None Listed													

SECTION – 16 OTHER INFORMATION

<u>SDS</u>	LEGEND DESCRIPTION		
ACGIH	American Conference of Governmental Industrial Hygienists	LC50	A concentration that is lethal to 50% of a given species in a given time
CAS	Chemical Abstracts Service Registry	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CEIL	Ceiling Limit (15 minutes)	LEL	Lower Explosive Limit
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	LD	Liver Damage
CI	Cochlear Impairment	NA	Not Applicable
CNS	Central Nervous System	ND	Not Determined
EC50	Concentration of a chemical that gives half-maximal response	NFPA	National Fire Protection Association
EPA	Environmental Protection Agency	NIOSH	National Institute for Occupational Safety and Health
Eye	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)	NE	Not Established
FBG	Full Bunker Gear	NTP	National Toxicology Program
GHS	Globally Harmonized System	OSHA	Occupational Safety and Health Administration
HAP	California Hazardous air pollutant Clean Air Act	PEL	Permissible Exposure Limit (OSHA)
HMIS-A	Safety Glasses	PNS	Peripheral Nervous System
HMIS-B	Safety glasses, gloves	PP	California Priority Pollutant under the Clean Water Act
HMIS-C	Safety glasses, gloves, chemical apron	REL	Recommended exposure limit (NIOSH)
HMIS-D	Face shield, gloves, chemical apron	RT	Upper Respiratory Tract
HMIS-E	Safety glasses, gloves, dust respirator	Skin	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Lowest concentration that is toxic to a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours)
KD	Kidney Damage (nephropathy)	UEL	Upper Explosive Limit

Core Products Co., Inc.

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.

Print Date 2/23/2016

Supersedes Safety Data Sheet Dated

NOT TO BE SOLD IN THE STATE OF CALIFORNIA