

# SAFFTY DATA SHFFT

New Generation Tank Defoamer Revision Date 1/6/2016

SECTION – 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME New Generation Tank Defoamer ITEM TD

PRODUCT USE Collection Tank Defoamer for cleaning equipment

COMPANY NAME Core Products Co., Inc. Office (800) 825-2673

401 Industrial Rd Fax (903) 567-1346

Canton TX 75103 Web www.coreproductsco.com

EMERGENCY TELEPHONE NUMBER CHEMTREC (800) 424-9300

SECTION – 2 HAZARDS INFORMATION

Health Hazards EYES-Category 2B

WARNING Causes eye irritation

May be harmful if swallowed, Avoid eye or prolonged skin contact, Use personal protective equipment as required, Avoid

release into the environment

SECTION - 3 COMPOSITION INFORMATION (Exact percentage of the listed chemicals of composition has been withheld as a trade secret)

<u>CHEMICAL NAME</u> <u>COMMON NAME AND SYNONYMS</u> <u>CAS # IMPURITIES</u> <u>PERCENT</u>

None Listed Contains no ingredients classifiable by GHS criteria

SECTION – 4 FIRST AID MEASURES

**EYE CONTACT** Flush eyes with cold water while lifting upper and lower eyelids, Remove contact lenses if present and easy to do

without injury to the eye and continue rinsing, If irritation persists seek medical aid

SKIN CONTACT Wash with water, Remove any contaminated clothing and wash before reuse, If irritation occurs or persists seek

medical aid

INHALATION Not Applicable

INGESTION DO NOT INDUCE VOMITING. If person is fully conscious, rinse mouth out and give one to two glasses of water to

dilute and obtain immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the

lungs

Aspiration Hazard Not applicable

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause eye irritation, discomfort, redness

**Skin** May cause mild skin irritation

Inhalation Not applicable

**Ingestion** May be harmful if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes eye irritation, discomfort, redness, tearing
Skin Causes mild skin irritation, itching, redness

**Inhalation** Spray mist may cause mild irritation

Ingestion May be harmful if swallowed, Symptoms may include, vomiting, abdominal pain, nausea or diarrhea

SECTION – 5 FIRE FIGHTING MEASURES

Extinguishing Media Not flammable: Use extinguishing media for surrounding fire

Hazardous Decomposition Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, nitrogen oxides, silicon

oxides, and other toxic fumes

Reactive With Reactive with, strong oxidizing agents, strong bases

Explosion Hazards Not applicable
Static Discharge Not applicable
Mechanical Impact Not applicable

Protective Equipment Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

Page 2 of 4 New Generation Tank Defoamer Revision Date 1/6/2016

#### SECTION – 6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures Warn personnel of spill

Personal Precautions Avoid slipping on spilled product

Protective Equipment Safety Glasses, Gloves

**Containment** Use rags or towels to prevent spill from spreading

Clean Up Procedures

Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water

Disposal

Dispose of material in accordance with all State and Federal Guidelines and Regulations

### SECTION – 7 HANDLING AND STORAGE

Handling Use appropriate safety equipment, Avoid eye and prolonged skin contact, May be harmful if swallowed, Wash

thoroughly after handling, Avoid release to the environment, Triple rinse container before discarding

Storage Keep container closed when not in use, Store away from incompatible materials

Incompatible Materials Incompatible with, strong oxidizing agents, strong bases

# SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS

CHEMICAL NAME

ACGIH (TWA 8)

ACGIH (STEL)

OSHA PEL (TWA 8)

OSHA (CEIL)

Exposure

None Listed

#### PERSONAL PROTECTIVE EQUIPMENT



Chemical Safety Glasses, Goggles or Face Shield

Ventilation
General Ventilation

**HMIS HAZARD RATINGS** 

Health Flammability Reactivity

**Personal Protection** 

0 0 A

SECTION – 9 PHYSICAL AND CHEMICAL PROPERTIES

 Flash Point
 > 93.3°C (200°F) - TAG Closed Cup
 Specific Gravity / Density
 1.026 - 1.027

 Flammable Limits
 ND
 pH (± 0.3)
 7.0 - 8.0

 Auto-Ignition Temp.
 ND
 Viscosity
 ND

 Physical State
 Viscous liquid
 Freeze Point
 0°C (32°F)

 Physical State
 Viscous liquid
 Freeze Point
 0°C (32°F)

 Appearance
 Opaque white
 Boiling Point
 100°C (212°F)

 Odor
 Mild
 Vapor Density (air=1)
 ND

 Odor Threshold
 ND
 Vapor Pressure (mm Hg)
 ND

Solubility < 95% Evaporation Rate (nBuAc=1) ND Volatiles < 95% **Partition Coefficient** ND VOC < 1% Molecular Weight (g/mol) ND LVP-VOC ND 0.00% **Decomposition Temperature** 

### SECTION - 10 STABILITY AND REACTIVITY

Reactivity (Specific Test Data) None available

Chemical Stability Stable under normal ambient and anticipated conditions of use

Hazardous Polymerization Will not occur

Conditions To Avoid Incompatible materials

Incompatible Materials Incompatible with, strong oxidizing agents, strong bases

Thermal Decomposition Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, nitrogen oxides, silicon

oxides, and other toxic fumes

Page 3 of 4 New Generation Tank Defoamer Revision Date 1/6/2016

#### SECTION – 11 TOXICOLOGICAL INFORMATION

**ROUTES OF EXPOSURE** 

Eyes (Yes), Skin (Yes), Ingestion (Yes)

**ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE** 

Eyes Can cause eye irritation, discomfort, redness

**Skin** May cause mild skin irritation

Inhalation Not applicable

Ingestion May be harmful if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

EyesCauses eye irritation, discomfort, redness, tearingSkinCauses mild skin irritation, itching, rednessInhalationSpray mist may cause mild irritation

Ingestion May be harmful if swallowed, Symptoms may include, vomiting, abdominal pain, nausea or diarrhea

 Acute Tox Calculated
 Oral:
 101,540 mg/kg
 Dermal:
 742.949 mg/kg
 Inhaled:
 7,429.5 mg/L

Acute Tox Category Not applicable (Oral >5000 mg/kg), Not applicable (Dermal > 5000 mg/kg), Not applicable (Inhaled >50 mg/L) Vapors

**Additional Info** 

Target Organs Eves (Lens or cornea). Skin

Medical Conditions Preexisting, eye, skin, disorders may be aggravated by exposure to this product

Notes to Physician In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption, Treat symptoms

**CARCINOGENIC – This product contains concentrations above 0.1% of the following:** 

CHEMICAL NAME NTP ACGIH IARC GHS Category

None Listed NA NA NA NA

MUTAGENIC AND REPRODUCTIVE EFFECTS - This product contains concentrations above 0.1% of the following:

<u>CHEMICAL NAME</u> <u>Germ Cell Mutagenicity</u> <u>Toxic to Reproduction</u>

None Listed NA NA

**COMPONENTS ACUTE TOXICITY** 

CHEMICAL NAME Type Form Subject Result Value Exposure Time GHS Category

None Listed

SECTION – 12 ECOLOGICAL INFORMATION

CHEMICAL NAME Type Subject Subject Latin Result Value Exposure Time GHS Category

None Listed

Presistence And Degradability No specific biodegradation test data was located

Bioaccumulative Potential There is no evidence to suggest bioaccumulation will occur

Mobility In Soil This material is a partially mobile liquid

Other Adverse Effects May be harmful to aquatic life

SECTION – 13 DISPOSAL CONSIDERATIONS

DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

**ENVIRONMENTAL FATE** 

Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste

CONTAINER DISPOSAL - Triple rinse container then offer for recycling. If not available, puncture and dispose in a sanitary landfill

## SECTION – 14 TRANSPORT INFORMATION

### **DOT CLASSIFICATION**

<u>UN Number</u> <u>Proper Shipping Name</u> <u>n.o.s. (Chemicals ) or "Limits"</u>

Not Regulated Non Hazardous – Compounds Cleaning Liquid

Hazard Class Packing Group Label Codes Reportable Quantity (lbs) Response Marine Pollutant Hazard Label Secondary

None None None None 154 No

**Additional Info:** 

Page 4 of 4 New Generation Tank Defoamer Revision Date 1/6/2016

Page 4 of 4				New (	Generati	on rank	Detoam	er			Re	evision Da	ate	1/6/2016
SECTION – 15	REGULATORY	INFORMATI	ON											
<u>TSCA</u>														
CHEMICAL NAME		Sec 8(b)	) Inventory	· S	Sec 8(d) H	ealth And	Safety	Sec	c 4(a) Chem	nical Test F	Rules	Sec 12(k	o) Expor	t Notificatio
None Listed														
REPORTABLE QUA	NTITIES		Extremely	Hazardou	ıs	Re	portable Q	uantity	Emission	Reporting				
CHEMICAL NAME		EPCRA TE	PQ Sec 302	EPCRA	A RQ Sec	304 CE	RCLA RQ	Sec 103	TRI S	ec 313	RCI	RA Code	RMP	TQ Sec 11
None Listed														
SARA		S	ection 31	1				Sectio	n 311 / 31	2 Hazard	ls			
CHEMICAL NAME		Hazar	dous Ch	emical		Acute	C	Chronic	Fla	mmable	ı	Pressure		Reactive
None Listed														
RIGHT TO KNOW							STATE							
CHEMICAL NAME		CA	CT	FL	IL	LA	NJ	NY	PA	MI	MN	MA	RI	WI
None Listed														
CALIFORNIA				WARNI	ING! Thi	s produc	t contair	ns chemi	cals know	wn to the	state c	of Californ	nia to c	ause:
CHEMICAL NAME		CAS#		Birth D	Defects	R	eproduc	tive Harr	n	Carcino	gen		Develop	mental
None Listed														
CLEAN AIR WATER	ACTS			Clear	n Air Act	s				C	lean W	ater Acts		
CHEMICAL NAME		CAS#		HAP		Ozone	Class 1	Ozon	e Class 2	H	IS	PP		TP
None Listed														
INTERNATIONAL RE	GULATIONS	- The compo	onents of	this prod	luct are I	isted on t	he chemi	ical inven	tories of tl	ne followi	ng coun	tries:		
CHEMICAL NAME		Aust	ralia	Ca	anada	Eur	ope (EINI	ECS)	Japar	1	Ko	orea		UK
None Listed														
WHMIS Classification	on_													
CHEMICAL NAME			DSL	Class	Descr	iption								

# SECTION – 16 OTHER INFORMATION

None Listed

SDS	LEGEND DESCRIPTION		
<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists	LC50	A concentration that is lethal to 50% of a given species in a given time
CAS	Chemical Abstracts Service Registry	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CEIL	Ceiling Limit (15 minutes)	LEL	Lower Explosive Limit
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	LD	Liver Damage
CI	Cochlear Impairment	NA	Not Applicable
CNS	Central Nervous System	ND	Not Determined
EC50	Concentration of a chemical that gives half-maximal response	NFPA	National Fire Protection Association
EPA	Environmental Protection Agency	NIOSH	National Institute for Occupational Safety and Health
Eye	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)	NE	Not Established
FBG	Full Bunker Gear	NTP	National Toxicology Program
GHS	Globally Harmonized System	OSHA	Occupational Safety and Health Administration
HAP	California Hazardous air pollutant Clean Air Act	PEL	Permissible Exposure Limit (OSHA)
HMIS-A	Safety Glasses	PNS	Peripheral Nervous System
HMIS-B	Safety glasses, gloves	PP	California Priority Pollutant under the Clean Water Act
HMIS-C	Safety glasses, gloves, chemical apron	REL	Recommended exposure limit (NIOSH)
HMIS-D	Face shield, gloves, chemical apron	RT	Upper Respiratory Tract
HMIS-E	Safety glasses, gloves, dust respirator	Skin	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Lowest concentration that is toxic to a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours)
KD	Kidney Damage (nephropathy)	UEL	Upper Explosive Limit

#### Core Products Co., Inc.

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.