

SAFFTY DATA SHFFT

Unbelievable!® Leather Magic Revision Date 2/21/2016

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION SECTION - 1

Product Name Unbelievable!® Leather Magic Item LM-Ready

Product Use Leather Cleaner/Conditioner

Company Name Core Products Co., Inc. Office (800) 825-2673

> 401 Industrial Rd Fax (903) 567-1346

Canton TX 75103 Web www.coreproductsco.com

EMERGENCY TELEPHONE NUMBER CHEMTREC (800) 424-9300

HAZARDS INFORMATION SECTION - 2

Health Hazards EYES-Category 2B

WARNING Causes eye irritation

May be harmful if swallowed, Do not get in eyes, Use personal protective equipment as required, Avoid release into the

environment

SECTION - 3 **COMPOSITION INFORMATION** (Exact percentage of the listed chemicals of composition has been withheld as a trade secret)

CHEMICAL NAME COMMON NAME AND SYNONYMS CAS# **IMPURITIES PERCENT**

None Listed Contains no ingredients classifiable by GHS criteria

SECTION - 4 FIRST AID MEASURES

EYE CONTACT Flush eyes with cold water while lifting upper and lower eyelids. Remove contact lenses if present and easy to do

without injury to the eye and continue rinsing, If irritation persists seek medical aid

SKIN CONTACT Wash with soap and water

INHALATION Not Applicable

INGESTION DO NOT INDUCE VOMITING. If person is fully conscious, rinse mouth out and give one to two glasses of water to

dilute and obtain immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the

Aspiration Hazard Not applicable

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause eye irritation, discomfort, redness

Skin May cause mild skin irritation

Inhalation Not applicable

Ingestion May be harmful if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Causes eye irritation, discomfort, redness, tearing Eyes

Skin May cause mild skin irritation Inhalation Spray mist may cause mild irritation

Ingestion May be harmful if swallowed, Symptoms may include, vomiting, abdominal pain, nausea or diarrhea

SECTION - 5 **FIRE FIGHTING MEASURES**

Extinguishing Media Not flammable: Use extinguishing media for surrounding fire

Hazardous Decomposition Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, nitrogen oxides, silicon

oxides, and other toxic fumes

Reactive With Reactive with, strong oxidizing agents, strong bases

Explosion Hazards Not applicable Static Discharge Not applicable **Mechanical Impact** Not applicable

Protective Equipment Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

SECTION – 6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures Warn personnel of spill

Personal Precautions Avoid slipping on spilled product

Protective Equipment Safety Glasses, Gloves

Containment Use rags or towels to prevent spill from spreading

Clean Up Procedures

Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water

Disposal

Dispose of material in accordance with all State and Federal Guidelines and Regulations

SECTION – 7 HANDLING AND STORAGE

Handling Use appropriate safety equipment, Avoid eye and prolonged skin contact, Wash thoroughly after handling,

Avoid release to the environment, Triple rinse container before discarding

Storage KEEP OUT OF REACH OF CHILDREN, Keep container closed when not in use, Store away from incompatible

materials

Incompatible Materials Incompatible with, strong oxidizing agents, strong bases

SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS

CHEMICAL NAME

ACGIH (TWA 8)

ACGIH (STEL)

OSHA PEL (TWA 8)

OSHA (CEIL)


Exposure

None Listed

PERSONAL PROTECTIVE EQUIPMENT



Chemical Safety Glasses, Goggles or Face Shield



HMIS HAZARD RATINGS Health Flammability 0 Reactivity 0 Personal Protection A

SECTION – 9 PHYSICAL AND CHEMICAL PROPERTIES

Flash Point	> 93.3°C (200°F) - TAG Closed Cup	Specific Gravity / Density	0.900
Flammable Limits	ND	pH (± 0.3)	7.0
Auto-Ignition Temp.	ND	Viscosity	ND
Physical State	Liquid	Freeze Point	0°C (32°F)
Appearance	Tan	Boiling Point	100°C (212°F)
Odor	Leather	Vapor Density (air=1)	ND
Odor Threshold	ND	Vapor Pressure (mm Hg)	ND
Solubility	< 85%	Evaporation Rate (nBuAc=1)	ND
Volatiles	< 91%	Partition Coefficient	ND
VOC	1.81%	Molecular Weight (g/mol)	ND
LVP-VOC	0.0%	Decomposition Temperature	ND

SECTION – 10 STABILITY AND REACTIVITY

Reactivity (Specific Test Data) None available

Chemical Stability Stable under normal ambient and anticipated conditions of use

Hazardous Polymerization Will not occur

Conditions To Avoid Incompatible materials

Incompatible Materials Incompatible with, strong oxidizing agents, strong bases

Thermal Decomposition Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, nitrogen oxides, silicon

oxides, and other toxic fumes

SECTION – 11 TOXICOLOGICAL INFORMATION

ROUTES OF EXPOSURE

Eyes (Yes), Skin (Yes), Inhalation (Yes "Mist"), Ingestion (Yes)

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause eye irritation, discomfort, redness

Skin May cause mild skin irritation

Inhalation Not applicable

Ingestion May be harmful if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes eye irritation, discomfort, redness, tearing

Skin May cause mild skin irritation

Inhalation Spray mist may cause mild irritation

Ingestion May be harmful if swallowed, Symptoms may include, vomiting, abdominal pain, nausea or diarrhea

Acute Tox Calculated Oral: > 5.000 mg/kg Dermal: > 5.000 mg/kg Inhaled: > 50.0 mg/L

Acute Tox Category Not applicable (Oral >5000 mg/kg), Not applicable (Dermal >5000 mg/kg), Not applicable (Inhaled >50 mg/L) Vapors

Additional Info

Target Organs Eves (Lens or cornea). Skin

Medical Conditions Preexisting, eye, skin, disorders may be aggravated by exposure to this product

Notes to Physician In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption, Treat symptoms

CARCINOGENIC - This product contains concentrations above 0.1% of the following:

CHEMICAL NAME NTP ACGIH IARC GHS Category

None Listed NA NA NA NA

MUTAGENIC AND REPRODUCTIVE EFFECTS – This product contains concentrations above 0.1% of the following:

<u>CHEMICAL NAME</u> <u>Germ Cell Mutagenicity</u> <u>Toxic to Reproduction</u>

None Listed NA NA

COMPONENTS ACUTE TOXICITY

CHEMICAL NAME Type Form Subject Result Value Exposure Time GHS Category

None Listed

SECTION – 12 ECOLOGICAL INFORMATION

CHEMICAL NAME Type Subject Subject Latin Result Value Exposure Time GHS Category

None Listed

Presistence And Degradability No specific biodegradation test data was located

Bioaccumulative Potential There is no evidence to suggest bioaccumulation will occur

Mobility In Soil This material is a partially mobile liquid

Other Adverse Effects May be harmful to aquatic life

SECTION – 13 DISPOSAL CONSIDERATIONS

DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

ENVIRONMENTAL FATE

Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste

CONTAINER DISPOSAL - Triple rinse container then offer for recycling. If not available, puncture and dispose in a sanitary landfill

SECTION – 14 TRANSPORT INFORMATION

DOT CLASSIFICATION

<u>UN Number</u> <u>Proper Shipping Name</u> <u>n.o.s. (Chemicals) or "Limits"</u>

Not Regulated Non Hazardous – Compounds Cleaning Liquid

Hazard Class Packing Group Label Codes Reportable Quantity (lbs) Response Marine Pollutant Hazard Label Secondary

None None None None 154 No

Additional Info:

rage 4 01 4				Ulibell	levable	iw Lea	uner wagi	C			Re	ים ווטופוע:	ale	2/2 1/2010
SECTION – 15 R	EGULATORY IN	NFORMATIO	NC											
<u>TSCA</u>														
CHEMICAL NAME		Sec 8(b)	Inventory	Se	ec 8(d) H	lealth A	nd Safety	Se	ec 4(a) Chei	mical Test R	Rules	Sec 12(I	o) Expo	rt Notification
None Listed														
REPORTABLE QUANT	TTIES		Extremely	Hazardous	S		Reportable	Quantity	Emission	n Reporting				
CHEMICAL NAME		EPCRA TP	Q Sec 302	EPCRA	RQ Sec	304	CERCLA RO	Q Sec 103	TRIS	Sec 313	RCF	RA Code	RMI	P TQ Sec 112
None Listed														
SARA		Se	ection 31	1				Section	on 311 / 3	12 Hazard	ds			
CHEMICAL NAME		Hazard	dous Che	mical		Acute		Chronic	Fla	ammable	F	Pressure		Reactive
None Listed														
RIGHT TO KNOW							STATE							
CHEMICAL NAME		CA	СТ	FL	IL	LA	. NJ	NY	PA	MI	MN	MA	RI	WI
None Listed														
CALIFORNIA				WARNII	NG! Thi	is proc	duct conta	ins chem	icals kno	wn to the	state o	f Californ	nia to c	cause:
CHEMICAL NAME		CAS#		Birth D	efects		Reprodu	ctive Har	m	Carcino	gen)evelo	pmental
None Listed														
CLEAN AIR WATER A	CTS			Clean	Air Act	ts				C	lean W	ater Acts		
CHEMICAL NAME		CAS#		HAP		Ozor	ne Class 1	Ozor	ne Class 2	2 F	IS	PP		TP
None Listed														
INTERNATIONAL REG	ULATIONS -	The compo	nents of t	this produ	uct are	listed c	n the chen	nical inver	ntories of	the following	ng coun	tries:		
CHEMICAL NAME		Austi	alia	Ca	nada	E	urope (EII	NECS)	Japa	n	Ko	rea		UK
None Listed														
WHMIS Classification	-													
CHEMICAL NAME			DSL	Class	Desc	ription	l							
None Listed														

SECTION – 16 OTHER INFORMATION

<u>SDS</u>	LEGEND DESCRIPTION		
ACGIH	American Conference of Governmental Industrial Hygienists	LC50	A concentration that is lethal to 50% of a given species in a given time
CAS	Chemical Abstracts Service Registry	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CEIL	Ceiling Limit (15 minutes)	LEL	Lower Explosive Limit
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	LD	Liver Damage
CI	Cochlear Impairment	NA	Not Applicable
CNS	Central Nervous System	ND	Not Determined
EC50	Concentration of a chemical that gives half-maximal response	NFPA	National Fire Protection Association
EPA	Environmental Protection Agency	NIOSH	National Institute for Occupational Safety and Health
Eye	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)	NE	Not Established
FBG	Full Bunker Gear	NTP	National Toxicology Program
GHS	Globally Harmonized System	OSHA	Occupational Safety and Health Administration
HAP	California Hazardous air pollutant Clean Air Act	PEL	Permissible Exposure Limit (OSHA)
HMIS-A	Safety Glasses	PNS	Peripheral Nervous System
HMIS-B	Safety glasses, gloves	PP	California Priority Pollutant under the Clean Water Act
HMIS-C	Safety glasses, gloves, chemical apron	REL	Recommended exposure limit (NIOSH)
HMIS-D	Face shield, gloves, chemical apron	RT	Upper Respiratory Tract
HMIS-E	Safety glasses, gloves, dust respirator	Skin	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Lowest concentration that is toxic to a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours)
KD	Kidney Damage (nephropathy)	UEL	Upper Explosive Limit

Core Products Co., Inc.

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.