

SECTION - 1

# **SAFETY DATA SHEET**

Xtreme Orange Super Degreaser Revision Date 12/18/2015

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME Xtreme Orange Super Degreaser ITEM XOSD

PRODUCT USE All Purpose Cleaner / Degreaser

**COMPANY NAME** Core Products Co., Inc. **Office** (800) 825-2673

401 Industrial Rd Fax (903) 567-1346

Canton TX 75103 Web www.coreproductsco.com

EMERGENCY TELEPHONE NUMBER CHEMTREC (800) 424-9300

SECTION – 2 HAZARDS INFORMATION

Health Hazards EYES-Category 2A; SKIN-Category 2; STOT SINGLE EXPOSURE-Category 3; SKIN SENSITIZER-Category 1

Irritant (skin and eye)
Respiratory Tract Irritant
Skin Sensitizer

WARNING Causes serious eye irritation, Causes skin irritation, May cause an allergic skin reaction, May cause respiratory irritation

May be harmful if swallowed, Avoid eye or skin contact, and inhalation of mist, Use personal protective equipment as

required, Wash thoroughly after handling, KEEP OUT OF REACH OF CHILDREN

SECTION - 3 **COMPOSITION INFORMATION** (Exact percentage of the listed chemicals of composition has been withheld as a trade secret) **CHEMICAL NAME COMMON NAME AND SYNONYMS** CAS# **IMPURITIES PERCENT** 64-02-8 **EDTA Tetrasodium Salt** Ethylenediaminetetraacetic Acid Tetrasodium Salt Sodium Hydroxide < 1.6%, Nitrilotriacetate, trisodium salt 1 - 3% (NTA) < 1%, Sodium hydroxyacetate < 3% Nonylphenol Ethoxylate Polyoxyethylene Nonyl Phenyl Ether 127087-87-0 Poly(ethylene oxide) < 3%, 1 - 3% Dinonylphenyl polyoxyethylene < 2% D-Limonene 4-isopropenyl-1-methylcyclohexene 5989-27-5 0 - 2%

SECTION - 4 FIRST AID MEASURES

**EYE CONTACT** Flush eyes with cold water while lifting upper and lower eyelids, Remove contact lenses if present and easy to do

without injury to the eye and continue rinsing, If irritation persists seek medical aid

SKIN CONTACT Wash contaminated skin with plenty of water, Remove any contaminated clothing and wash before reuse, If irritation

occurs or persists seek medical aid

**INHALATION** Move person to fresh air, if they have problem breathing, show signs of overexposure or feel unwell obtain medical

attention

INGESTION DO NOT INDUCE VOMITING. If person is fully conscious, rinse mouth out and give one to two glasses of water to

dilute and obtain immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the

lungs

Aspiration Hazard Not applicable

**ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE** 

Eyes Can cause serious eye irritation, discomfort, redness, by direct product contact or mists

Skin Can cause skin irritation, redness, drying or cracking, or allergic skin reaction

Inhalation Spray mist may cause mild irritation, to respiratory tract

Ingestion May be harmful if swallowed, May cause irritation, of the mouth, throat, and esophagus, Minimal acute toxicity if

swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye irritation, redness, tearing, or pain, by direct product contact or mists

Skin Causes skin irritation, defatting of the skin which may lead to dermatitis, or allergic skin reaction

**Inhalation** Spray mist may cause irritation, to mucus membranes or respiratory tract

**Ingestion** May be harmful if swallowed, May cause irritation, of the mouth, throat, and esophagus, May affect target organs,

Slight acute toxicity if swallowed

SECTION – 5 FIRE FIGHTING MEASURES

Extinguishing Media Not flammable: Use extinguishing media for surrounding fire

Hazardous Decomposition Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes

Reactive With Reactive with, strong oxidizing agents, strong acids

Explosion Hazards Not applicable
Static Discharge Not applicable
Mechanical Impact Not applicable

Protective Equipment Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

#### SECTION - 6 **ACCIDENTAL RELEASE MEASURES**

**Emergency Procedures** Warn personnel of spill

**Personal Precautions** Ventilate area, Avoid slipping on spilled product

**Protective Equipment** Safety Glasses, Gloves

Containment Use rags, towels, absorbent socks or pads to prevent spill from spreading

**Clean Up Procedures** Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water Disposal

Dispose of material in accordance with all State and Federal Guidelines and Regulations

#### HANDLING AND STORAGE SECTION - 7

Handling Use appropriate safety equipment, Avoid eye and skin contact, Avoid inhalation of mist, May be harmful if

swallowed, Wash thoroughly after handling, Avoid release to the environment, Triple rinse container before

discarding

Storage KEEP OUT OF REACH OF CHILDREN, Keep container closed when not in use, Store away from incompatible

materials, Stored above 4.4°C (40°F) and below 49°C (120°F)

**Incompatible Materials** Incompatible with, strong oxidizing agents, strong acids

## SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS		Significant					
CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA PEL (TWA 8)	OSHA (CEIL)	Exposure		
D-Limonene	30 ppm				SS		
EDTA Tetrasodium Salt	None Established						
Nonylphenol Ethoxylate	None Established						

### PERSONAL PROTECTIVE EQUIPMENT








Impervious Chemical Gloves



(Recommended)

В



#### **HMIS HAZARD RATINGS** Health **Flammability** 0 Reactivity 0

**Personal Protection** 

SECTION - 9 P	HYSICAL AND CHEMICAL PROPERTIES		
Flash Point	> 93.3°C (200°F) - TAG Closed Cup	Specific Gravity / Density	1.005
Flammable Limits	ND	pH (± 0.3)	9.8 - 10.0
Auto-Ignition Temp.	ND	Viscosity	ND
Physical State	Liquid	Freeze Point	0°C (32°F)
Appearance	Clear Orange	Boiling Point	100°C (212°F)
Odor	Orange	Vapor Density (air=1)	ND
Odor Threshold	ND	Vapor Pressure (mm Hg)	ND
Solubility	100%	Evaporation Rate (nBuAc=1)	ND
Volatiles	< 98%	Partition Coefficient	ND
VOC	0.49% @ Full Strength	Molecular Weight (g/mol)	20.35 g/mol
LVP-VOC	3.13% @ Full Strength	<b>Decomposition Temperature</b>	ND
SECTION - 10 S	TARILITY AND PEACTIVITY		

Reactivity (Specific Test Data) None available

**Chemical Stability** Stable when stored above 4.4°C (40°F) and below 49°C (120°F)

**Hazardous Polymerization** Will not occur

**Conditions To Avoid** Incompatible materials

**Incompatible Materials** Incompatible with, strong oxidizing agents, strong acids

**Thermal Decomposition** Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes

#### Revision Date

12/18/2015

### SECTION – 11 TOXICOLOGICAL INFORMATION

## **ROUTES OF EXPOSURE**

Eyes (Yes), Skin (Yes), Inhalation (Yes "Mist"), Ingestion (Yes)

# ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause serious eye irritation, discomfort, redness, by direct product contact or mists

Skin Can cause skin irritation, redness, drying or cracking, or allergic skin reaction

Inhalation Spray mist may cause mild irritation, to respiratory tract

Ingestion May be harmful if swallowed, May cause irritation, of the mouth, throat, and esophagus, Minimal acute toxicity if

swallowed

### CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye irritation, redness, tearing, or pain, by direct product contact or mists

Skin Causes skin irritation, defatting of the skin which may lead to dermatitis, or allergic skin reaction

Inhalation Spray mist may cause irritation, to mucus membranes or respiratory tract

**Ingestion** May be harmful if swallowed, May cause irritation, of the mouth, throat, and esophagus, May affect target organs,

Slight acute toxicity if swallowed

Acute Tox Calculated Oral: 20,992 mg/kg Dermal: 56,753 mg/kg Inhaled: 113.9 mg/L

Acute Tox Category Not applicable (Oral >5000 mg/kg), Not applicable (Dermal > 5000 mg/kg), Not applicable (Inhaled >12.5 mg/L) Dust or Mist

**Additional Info** 

Target Organs Kidneys, Liver, Eyes (Lens or cornea), Skin, Upper Respiratory Tract

Medical Conditions Preexisting, eye, liver, kidney, respiratory, disorders may be aggravated by exposure to this product

Notes to Physician In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption

### CARCINOGENIC - This product contains concentrations above 0.1% of the following:

CHEMICAL NAMENTPACGIHIARCGHS CategoryNone ListedNANANANA

## MUTAGENIC AND REPRODUCTIVE EFFECTS - This product contains concentrations above 0.1% of the following:

CHEMICAL NAME Germ Cell Mutagenicity Toxic to Reproduction

None Listed NA NA

#### COMPONENTS ACUTE TOXICITY

CHEMICAL NAME	<u>Type</u>	<u>Form</u>	<u>Subject</u>	Result Value	Exposure Time	GHS Category
D-Limonene	LD50	Dermal	Rabbit	5,000 mg/kg		(>2000 mg/kg)
	LD50	Oral	Rat	4,400 mg/kg		(>2000 mg/kg)
EDTA Tetrasodium Salt	LD50	Oral	Rat	630 mg/kg		(>2000 mg/kg)
Nonylphenol Ethoxylate	LD50	Oral	Rat	960 mg/kg		4 (>300, ≤2000 mg/kg)
	LD50	Inhaled	Rat	1.15 mg/L	4 Hours (Mist)	4 (>1.0, ≤5 mg/L)
	LD50	Dermal	Rabbit	2,001 mg/kg		(>2000 mg/kg)

# SECTION – 12 ECOLOGICAL INFORMATION

CHEMICAL NAME	<u>Type</u>	Subject Subject Latin	Result Value	Exposure Time	<b>GHS Category</b>
D-Limonene	LC50	Fathead Minnow (Pimephales promelas)	0.702 mg/L	96 Hours	1 (≤1 mg/L)
	EC50	Water Flea (Daphnia magna)	0.924 mg/L	48 Hours	1 (≤1 mg/L)
EDTA Tetrasodium Salt	LC50	Bluegill (Lepomis macrochirus)	760 mg/L	96 Hours	4 (>100 mg/L)
	LC50	Fathead Minnow (Pimephales promelas)	59.8 mg/L	96 Hours	3 (>10, ≤100 mg/L)
Nonylphenol Ethoxylate	LC50	Fathead Minnow (Pimephales promelas)	3.8 mg/L	96 Hours	2 (>1, ≤10 mg/L)
	LC50	Water Flea (Daphnia magna)	9.3 mg/L	48 Hours	2 (>1, ≤10 mg/L)

Presistence And Degradability This product is inherently biodegradable according to the OECD definition

Bioaccumulative Potential There is no evidence to suggest bioaccumulation will occur

Mobility In Soil This material is a mobile liquid

Other Adverse Effects Harmful to aquatic life

12/18/2015

#### SECTION - 13 **DISPOSAL CONSIDERATIONS**

# DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER

Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

## **ENVIRONMENTAL FATE**

Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste.

CONTAINER DISPOSAL - Triple rinse container then offer for recycling. If not available, puncture and dispose in a sanitary landfill.

#### TRANSPORT INFORMATION SECTION - 14

# **DOT CLASSIFICATION**

Proper Shipping Name n.o.s. (Chemicals ) or "Limits" **UN Number** 

Not Regulated Non Regulated Material

Hazard Class Packing Group **Label Codes** Reportable Quantity (lbs) <u>Response</u> Marine Pollutant Hazard Label **Secondary** 

None None None None 128 No

Additional Info:

SECTION – 15 REGULATORY	INFORMATION	ON											
TSCA													
CHEMICAL NAME	Sec 8(b)	Inventory	S	ec 8(d)	Health A	and Safety	Se	ec 4(a) Cher	mical Test	Rules	Sec 12	(b) Expo	rt Notificatio
D-Limonene	Y	'es											
REPORTABLE QUANTITIES		Extremely	Hazardou	s		Reportable	Quantity	Emission	n Reporting	9			
CHEMICAL NAME	EPCRA TP	Q Sec 302	EPCRA	RQ Se	c 304	CERCLA R	Q Sec 103	TRIS	Sec 313	RC	RA Code	RMI	P TQ Sec 11
None Listed													
SARA	Se	ection 31	1				Secti	on 311 / 3	12 Hazar	ds			
CHEMICAL NAME	Hazard	dous Che	emical		Acute	<b>!</b>	Chronic	Fla	ammable	<b>.</b> 1	Pressure		Reactive
D-Limonene		Yes			Yes		Yes		Yes				
EDTA Tetrasodium Salt		Yes			Yes								
Nonylphenol Ethoxylate		Yes			Yes								
RIGHT TO KNOW						STATE	<b>=</b>						
CHEMICAL NAME	CA	СТ	FL	IL	LA	NJ	NY	PA	MI	MN	MA	RI	WI
D-Limonene						Yes		Yes					
EDTA Tetrasodium Salt						Yes		Yes					
Nonylphenol Ethoxylate						Yes		Yes					
<u>CALIFORNIA</u>			WARNI	NG! TI	his pro	duct conta	ains chem	nicals kno	wn to th	e state (	of Califor	nia to	cause:
CHEMICAL NAME	CAS#		Birth D	efects	;	Reprodu	ıctive Har	rm	Carcin	ogen		Develo	pmental
None Listed													
CLEAN AIR WATER ACTS			Clean	Air A	cts				(	Clean W	ater Act	S	
CHEMICAL NAME	CAS#		HAP		Ozoı	ne Class 1	Ozoı	ne Class 2	2	HS	PF	•	TP
None Listed													
INTERNATIONAL REGULATIONS	- The compo	onents of	this prod	uct are	e listed o	on the che	mical inve	ntories of	the follow	ing cour	ntries:		
CHEMICAL NAME	Austr	ralia	Ca	anada	E	urope (El	NECS)	Japa	n	K	orea		UK
D-Limonene	Ye	es	`	Yes		Yes		Yes	3	Υ	'es		Yes
WHMIS Classification													
CHEMICAL NAME		DSL	Class	Des	cription	1							
D-Limonene		Yes.	D-2B	Mate	erials (	Causing C	Other Tox	ic Effects	s; Toxic I	Materia	l		

SDS	LEGEND DESCRIPTION		
ACGIH	American Conference of Governmental Industrial Hygienists	LC50	A concentration that is lethal to 50% of a given species in a given time
CAS	Chemical Abstracts Service Registry	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CEIL	Ceiling Limit (15 minutes)	LEL	Lower Explosive Limit
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	LD	Liver Damage
CI	Cochlear Impairment	NA	Not Applicable
CNS	Central Nervous System	ND	Not Determined
EC50	Concentration of a chemical that gives half-maximal response	NFPA	National Fire Protection Association
EPA	Environmental Protection Agency	NIOSH	National Institute for Occupational Safety and Health
Eye	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)	NE	Not Established
FBG	Full Bunker Gear	NTP	National Toxicology Program
GHS	Globally Harmonized System	OSHA	Occupational Safety and Health Administration
HAP	California Hazardous air pollutant Clean Air Act	PEL	Permissible Exposure Limit (OSHA)
HMIS-A	Safety Glasses	PNS	Peripheral Nervous System
HMIS-B	Safety glasses, gloves	PP	California Priority Pollutant under the Clean Water Act
HMIS-C	Safety glasses, gloves, chemical apron	REL	Recommended exposure limit (NIOSH)
HMIS-D	Face shield, gloves, chemical apron	RT	Upper Respiratory Tract
HMIS-E	Safety glasses, gloves, dust respirator	Skin	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Lowest concentration that is toxic to a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours)
KD	Kidney Damage (nephropathy)	UEL	Upper Explosive Limit

# Core Products Co., Inc.

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.

**Print Date** 12/18/2015

**Supersedes Safety Data Sheet Dated** 

7/10/2015

12/18/2015

NOT TO BE SOLD IN THE STATE OF CALIFORNIA